

The ICD-9 Diagnostic Codes that are listed here are 2013 Codes. ICD-9 Codes are currently utilized in insurance billing and are applicable until the ICD-10 is released in October, 2014. It is recommended that providers obtain a copy of the DSM-5 at this time. The DSM-5 provides the diagnostic criteria that is applicable to each of the diagnostic categories and it contains both the ICD-9 and ICD-10 codes.

2013 ICD-9-CM Mental, Behavioral and Neurodevelopmental Disorders

PSYCHOSES (290-299)

Excludes: intellectual abilities

ORGANIC PSYCHOTIC CONDITIONS (290-294)

Includes: psychotic organic brain syndrome

Excludes: nonpsychotic syndromes of organic etiology (310.0-310.9)
psychoses classifiable to 295-298 and without impairment of orientation, comprehension, calculation, learning capacity, and judgement, but associated with physical disease, injury, or condition affecting the brain [e.g., following childbirth] (295.0-298.8)

290 Dementias

Progressive decline in cognition along with a short and long-term memory loss due to brain damage/disease.

Code first the associated neurological condition

Excludes: dementia due to alcohol (291.0-291.2)
dementia due to drugs (292.82)
dementia not classified as senile, presenile, or arteriosclerotic (294.10-294.11)
psychoses classifiable to 295-298 occurring in the senium without dementia or delirium (295.0-298.8)
senility with mental changes of nonpsychotic severity (310.1)
transient organic psychotic conditions (293.0-293.9)

290.0 Senile dementia, uncomplicated

Senile dementia:

NOS simple type

Excludes: mild memory disturbances, not amounting to dementia, associated with senile brain (310.89)

senile dementia with: delirium or confusion (290.3) delusional [paranoid] features (290.20)
depressive features (290.21)

290.1 Presenile dementia

Brain syndrome with presenile brain disease

Excludes: arteriosclerotic dementia (290.40-290.43)
dementia associated with other cerebral conditions (290.10)-(294.11)

290.10 Presenile dementia, uncomplicated

Presenile dementia:

NOS simple type

290.11 Presenile dementia with delirium

Presenile dementia with acute confusional state

290.12 Presenile dementia with delusional features

Presenile dementia, paranoid type

290.13 Presenile dementia with depressive features

Presenile dementia, depressed type

290.2 Senile dementia with delusional or depressive features

Excludes: senile dementia:

NOS (290.0)

with delirium and/or confusion (290.3)

290.20 Senile dementia with delusional features

Senile dementia, paranoid type

Senile psychosis NOS

290.21 Senile dementia with depressive features

290.3 Senile dementia with delirium

Senile dementia with acute confusional state

Excludes: senile:

Dementia NOS (290.0)

NOS (290.0) psychosis NOS (290.20)

290.4 Vascular dementia

Multi-infarct dementia or psychosis

Use additional code to identify cerebral atherosclerosis (437.0)

Excludes: suspected cases with no clear evidence of arteriosclerosis (290.9)

290.40 Vascular dementia, uncomplicated

Arteriosclerotic dementia:

NOS

simple type

290.41 Vascular dementia with delirium

Arteriosclerotic dementia with acute confusional state

290.42 Vascular dementia with delusional features

Arteriosclerotic dementia, paranoid type

290.43 Vascular dementia with depressive features

Arteriosclerotic dementia, depressed type

290.8 Other specified senile psychotic conditions

Presbyophrenic psychosis

290.9 Unspecified senile psychotic condition

291 Alcoholic induced mental disorders

Excludes: alcoholism without psychosis (303.0-303.9)

291.0 Alcohol withdrawal delirium

Alcoholic delirium

Delirium tremens

Excludes: alcohol withdrawal (291.81)

291.1 Alcohol induced persisting amnestic disorder

Alcoholic polyneuritic psychosis

Korsakoff's psychosis, alcoholic

Wernicke-Korsakoff syndrome (alcoholic)

291.2 Alcohol induced persisting dementia

Alcoholic dementia NOS

Alcoholism associated with dementia NOS

Chronic alcoholic brain syndrome

291.3 Alcohol induced psychotic disorder with hallucinations

Alcoholic:

hallucinosis (acute)

psychosis with hallucinosis

Excludes: alcohol withdrawal with delirium (291.0)

Schizophrenia (295.0-295.9) and paranoid states (297.0-297.9)

taking the form of chronic hallucinosis with clear consciousness in an alcoholic

DEF: Psychosis lasting less than six months with slight or no clouding of consciousness in which auditory hallucinations predominate.

291.4 Idiosyncratic alcohol intoxication

Pathologic:

Alcohol intoxication

drunkenness

Excludes: acute alcohol intoxication (305.0)

in alcoholism (303.0)

simple drunkenness (305.0)

291.5 Alcohol induced psychotic disorder with delusions

Alcoholic:

Paranoia

psychosis,

paranoid type

Excludes: nonalcoholic paranoid states (297.0-297.9)

schizophrenia, paranoid type (295.3)

291.8 Other specified alcohol induced mental disorders

291.81 Alcohol withdrawal

Alcohol:

abstinence syndrome or symptoms withdrawal syndrome or symptoms

Excludes: alcohol withdrawal:

delirium (291.0)

hallucinoses (291.3)

delirium tremens (291.0)

291.82 Alcohol induced sleep disorders

Alcohol induced circadian rhythm sleep disorders Alcohol induced hypersomnia

Alcohol induced insomnia

Alcohol induced parasomnia

291.89 Other

Alcohol induced anxiety disorder

Alcohol induced mood disorder

Alcohol induced sexual dysfunction

291.9 Unspecified alcohol induced mental disorders

Alcoholic: mania NOS

psychosis NOS

Alcoholism (chronic) with psychosis

Alcohol related disorder NOS

292 Drug induced mental disorders

Includes: organic brain syndrome associated with consumption of drugs

Use additional code for any associated drug dependence (304.0-304.9)

Use additional E code to identify drug

292.0 Drug withdrawal

Drug:

abstinence syndrome or symptoms

withdrawal syndrome or symptoms

292.1 Drug induced psychotic disorders

292.11 Drug-induced psychotic disorder with delusions

Paranoid state induced by drugs

292.12 Drug-induced psychotic disorder with hallucinations

Hallucinatory state induced by drugs

Excludes: states following LSD or other hallucinogens, lasting only a few days or less ["bad trips"] (305.3)

292.2 Pathological drug intoxication

Drug reaction resulting in brief psychotic states

NOS

idiosyncratic

pathologic

Excludes: expected brief psychotic reactions to hallucinogens ["bad trips"] (305.3) physiological side-effects of drugs (e.g., dystonias)

292.8 Other specified drug-induced mental disorders

292.81 Drug-induced delirium

292.82 Drug-induced persisting dementia

292.83 Drug-induced persisting amnestic syndrome

292.84 Drug-induced mood disorder

Depressive state induced by drugs

292.85 Drug induced sleep disorders

Drug induced circadian rhythm sleep disorder

Drug induced hypersomnia

Drug induced insomnia

Drug induced parasomnia

292.89 Other

Drug induced anxiety disorder

Drug induced organic personality syndrome

Drug induced sexual dysfunction

Drug intoxication

292.9 Unspecified drug-induced mental disorder

Drug related disorder NOS

Organic psychosis NOS due to or associated with drugs

293 Transient mental disorders due to conditions classified elsewhere

Includes: transient organic mental disorders not associated with alcohol or drugs

Code first the associated physical or neurological condition

Excludes: confusional state or delirium superimposed on senile dementia (290.3)

dementia due to: alcohol (291.0- 291.9)

arteriosclerosis (290.40-290.43)

drugs (292.82)

senility (290.0)

293.0 Delirium due to conditions classified elsewhere

Acute:

confusional state

infective psychosis

organic reaction

posttraumatic organic psychosis

psycho-organic syndrome

Acute psychosis associated with endocrine, metabolic, or cerebrovascular disorder Epileptic:

confusional state twilight state

Epileptic:

confusional state

twilight state

293.1 Subacute delirium

Subacute:

confusional state

infective psychosis

organic reaction posttraumatic organic psychosis

psycho-organic syndrome

psychosis associated with endocrine or metabolic disorder

293.8 Other specified transient organic mental disorders due to conditions classified elsewhere

293.81 Psychotic disorder with delusions in conditions classified elsewhere

Transient organic psychotic condition, paranoid type

293.82 Psychotic disorder with hallucinations in conditions classified elsewhere

Transient organic psychotic condition, hallucinatory type

293.83 Mood disorder in conditions classified elsewhere

Transient organic psychotic condition, depressive type

293.84 Anxiety disorder in conditions classified elsewhere

293.89 Other

Catatonic disorder in conditions classified elsewhere

293.9 Unspecified transient mental disorder in conditions classified elsewhere

Organic psychosis:

Infective NOS

posttraumatic NOS

transient NOS

Psycho-organic syndrome

294 Persistent mental disorders due to conditions classified elsewhere

Includes: organic psychotic brain syndromes (chronic), not elsewhere classified

294.0 Amnestic disorder in conditions classified elsewhere

Korsakoff's psychosis or syndrome (nonalcoholic)

Code first underlying condition

Excludes: alcoholic:

Amnestic syndrome (291.1)

Korsakoff's psychosis (291.1)

294.1 Dementia in conditions classified elsewhere

Dementia of the Alzheimer's type

Code first any underlying physical condition, as:

Alzheimer's disease (331.0)

cerebral lipidoses (330.1)

dementia with Lewy bodies (331.82)

dementia with Parkinsonism (331.82)

epilepsy (345.0-345.9)

frontal dementia (331.19)

frontotemporal dementia (331.19)

general paresis [syphilis] (094.1)

hepatolenticular degeneration (275.1)

Huntington's chorea (333.4)

Jakob-Creutzfeldt disease (046.11 -046.19)

multiple sclerosis (340)

Pick's disease of the brain (331.11)
polyarteritis nodosa (446.0)
syphilis (094.1)

Excludes: dementia: arteriosclerotic (290.40- 290.43) presenile (290.10-290.13) senile (290.0)
epileptic psychosis NOS (294.8)

294.10 Dementia in conditions classified elsewhere without behavioral disturbance

Dementia in conditions classified elsewhere NOS

294.11 Dementia in conditions classified elsewhere with behavioral disturbance

Aggressive behavior
Combative behavior
Violent behavior
Wandering off

Use additional code, where applicable, to identify:
Wandering in conditions classified elsewhere (V40.31)

294.8 Other persistent mental disorders due to conditions classified elsewhere

Amnestic disorder NOS
Epileptic psychosis NOS
Mixed paranoid and affective organic psychotic states

Use additional code for associated epilepsy (345.0-345.9)

Excludes: mild memory disturbances, not amounting to dementia (310.8)

294.9 Unspecified persistent mental disorders due to conditions classified elsewhere

Cognitive disorder NOS
Organic psychosis (chronic)

OTHER PSYCHOSES (295-299)

Use additional code to identify any associated physical disease, injury, or condition affecting the brain with psychoses classifiable to 295-298

295 Schizophrenic disorders.

Personality disorders characterized by multiple mental and behavioral irregularities.

Includes: schizophrenia of the types described in 295.0-295.9 occurring in children

Excludes: childhood type schizophrenia (299.9)
infantile autism (299.0)

The following fifth-digit subclassification is for use with category 295:

0 unspecified

1 subchronic

2 chronic

3 subchronic with acute exacerbation

4 chronic with acute exacerbation 5 in remission

295.0 Simple type

Schizophrenia simplex

Excludes: latent schizophrenia (295.5)

295.1 Disorganized type

Hebephrenia
Hebephrenic type schizophrenia

295.2 Catatonic type

Catatonic (schizophrenia):
agitation
excitation
excited type
stupor
withdrawn type
Schizophrenic:
catalepsy
catatonia
flexibilitas cerea

295.3 Paranoid type

Paraphrenic schizophrenia
Excludes: involuntal paranoid state (297.2)
paranoia (297.1)
paraphrenia (297.2)

295.4 Schizophreniform disorder

Oneirophrenia
Schizophreniform:
Attack
psychosis, confusional type
Excludes: acute forms of schizophrenia of: catatonic type (295.2)
hebephrenic type (295.1)
paranoid type (295.3)
simple type (295.0)
undifferentiated type (295.8)

295.5 Latent schizophrenia

Latent schizophrenic reaction
Schizophrenia:
borderline
incipient
prepsychotic
prodromal
pseudoneurotic
pseudopsychopathic
Excludes: schizoid personality (301.20-301.22)

295.6 Residual type

Chronic undifferentiated schizophrenia
Restzustand (schizophrenic) \
Schizophrenic residual state

295.7 Schizoaffective disorder

Cyclic schizophrenia
Mixed schizophrenic and affective psychosis
Schizo-affective psychosis
Schizophreniform psychosis, affective type

295.8 Other specified types of schizophrenia

Acute (undifferentiated) schizophrenia
Atypical schizophrenia
Cenesthopathic schizophrenia
Excludes: infantile autism (299.0)

295.9 Unspecified schizophrenia

Schizophrenia:
NOS
Mixed NOS
undifferentiated NOS
Schizophrenic reaction NOS
Schizophreniform psychosis NOS

296 Episodic mood disorders

Includes: episodic affective disorders
Excludes: neurotic depression (300.4)
reactive depressive psychosis (298.0)
reactive excitation (298.1)

*The following fifth-digit subclassification is for use with categories 296.0-296.6:
0 unspecified 1 mild 2 moderate 3 severe, without mention of psychotic behavior
4 severe, specified as with psychotic behavior 5 in partial or unspecified
remission 6 in full remission*

296.0 Bipolar I disorder, single manic episode

Manic depressive disorder, characterized by moods that swing between periods of exaggerated euphoria, irritability, or both (manic) and episodes of depression.

Hypomania (mild) NOS, single episode or unspecified

Hypomanic psychosis, single episode or unspecified

Mania (monopolar) NOS single episode or unspecified

Hypomanic, single episode or unspecified

Manic, single episode or unspecified

Excludes: circular type, if there was a previous attack of depression (296.4)

296.1 Manic disorder, recurrent episode

Any condition classifiable to 296.0, stated to be recurrent **Excludes:** circular type, if there was a previous attack of depression (296.4)

296.2 Major depressive disorder, single episode

Depressive psychosis, single episode or unspecified
Endogenous depression, single episode or unspecified
Involutional melancholia, single episode or unspecified
Manic-depressive psychosis or reaction, depressed type, single episode or unspecified
Monopolar depression, single episode or unspecified
Psychotic depression, single episode or unspecified

Excludes: circular type, if previous attack was of manic type (296.5)
depression NOS (311)
reactive depression (neurotic) (300.4)
psychotic (298.0)

296.3 Major depressive disorder, recurrent episode

Any condition classifiable to 296.2, stated to be recurrent

Excludes: circular type, if previous attack was of manic type (296.5)
depression NOS (311)
reactive depression (neurotic) (300.4)
psychotic (298.0)

296.4 Bipolar I disorder, most recent episode (or current) manic

Bipolar disorder, now manic
Manic-depressive psychosis, circular type but currently manic
Excludes: brief compensatory or rebound mood swings (296.99)

296.5 Bipolar I disorder, most recent episode (or current) depressed

Bipolar disorder, now depressed
Manic-depressive psychosis, circular type but currently depressed
Excludes: brief compensatory or rebound mood swings (296.99)

296.6 Bipolar I disorder, most recent episode (or current) mixed

Manic-depressive psychosis, circular type, mixed

296.7 Bipolar I disorder, most recent episode (or current) unspecified

Atypical bipolar affective disorder NOS
Manic-depressive psychosis, circular type, current condition not specified as either manic or depressive

296.8 Other and unspecified bipolar disorders

296.80 Bipolar disorder, unspecified

Bipolar disorder NOS
Manic-depressive:
reaction NOS
syndrome NOS

296.81 Atypical manic disorder

296.82 Atypical depressive disorder

296.89 Other

Bipolar II disorder
Manic-depressive psychosis, mixed type

296.9 Other and unspecified episodic mood disorder

Excludes: psychogenic affective psychoses (298.0-298.8)

296.90 Unspecified episodic mood disorder

Affective psychosis NOS
Melancholia NOS
Mood disorder, NOS

296.99 Other specified episodic mood disorder

Mood swings:
brief compensatory
rebound

297 Delusional disorders

Includes: paranoid disorders

Excludes: acute paranoid reaction (298.3)
alcoholic jealousy or paranoid state (291.5)
paranoid schizophrenia (295.3)

297.0 Paranoid state, simple

297.1 Delusional disorder

Chronic paranoid psychosis
Sander's disease
Systematized delusions
Excludes: paranoid personality disorder (301.0)

297.2 Paraphrenia

Involitional paranoid state
Paraphrenia (involitional)
Late paraphrenia

297.3 Shared psychotic disorder

Folie à deux
Induced psychosis or paranoid disorder

297.8 Other specified paranoid states

Paranoia querulans
Sensitiver Beziehungswahn
Excludes: acute paranoid reaction or state (298.3)
senile paranoid state (290.20)

297.9 Unspecified paranoid state

Paranoid: disorder NOS
psychosis NOS
reaction NOS
state NOS

298 Other nonorganic psychoses

Includes: psychotic conditions due to or provoked by:
emotional stress
environmental factors as major part of etiology

298.0 Depressive type psychosis

Psychogenic depressive psychosis
Psychotic reactive depression
Reactive depressive psychosis
Excludes: manic-depressive psychosis, depressed type (296.2- 296.3)
neurotic depression (300.4), reactive depression NOS (300.4)

298.1 Excitative type psychosis

Acute hysterical psychosis
Psychogenic excitation
Reactive excitation
Excludes: manic-depressive psychosis, manic type (296.0-296.1)

298.2 Reactive confusion

Psychogenic confusion
Psychogenic twilight state
Excludes: acute confusional state (293.0)

298.3 Acute paranoid reaction

Acute psychogenic paranoid psychosis
Bouffée délirante
Excludes: paranoid states (297.0-297.9)

298.4 Psychogenic paranoid psychosis

Protracted reactive paranoid psychosis

298.8 Other and unspecified reactive psychosis

Brief psychotic disorder
Brief reactive psychosis NOS
Hysterical psychosis
Psychogenic psychosis NOS
Psychogenic stupor
Excludes: acute hysterical psychosis (298.1)

298.9 Unspecified psychosis

Atypical psychosis
Psychosis NOS
Psychotic disorder NOS

299 Pervasive developmental disorders

Excludes: adult type psychoses occurring in childhood, as:
affective disorders (296.0-296.9)
manic-depressive disorders (296.0-296.9)
schizophrenia (295.0-295.9)

The following fifth-digit subclassification is for use with category 299:

0 current or active state

1 residual state

299.0 Autistic disorder

Childhood autism
Infantile psychosis
Kanner's syndrome

Excludes: disintegrative psychosis (299.1)
Heller's syndrome (299.1)
schizophrenic syndrome of childhood (299.9)

299.1 Childhood disintegrative disorders

Heller's syndrome

Use additional code to identify any associated neurological disorder

Excludes: infantile autism (299.0)
schizophrenic syndrome of childhood (299.9)

299.8 Other specified pervasive developmental disorders

Asperger's disorder
Atypical childhood psychosis
Borderline psychosis of childhood
Excludes: simple stereotypes without psychotic disturbance (307.3)

299.9 Unspecified pervasive developmental disorder

Child psychosis NOS
Pervasive developmental disorder NOS
Schizophrenia, childhood type NOS
Schizophrenic syndrome of childhood NOS
Excludes: schizophrenia of adult type occurring in childhood (295.0-295.9)

**NEUROTIC DISORDERS, PERSONALITY DISORDERS, AND OTHER
NONPSYCHOTIC MENTAL DISORDERS (300-316) 300**

Anxiety, dissociative and somatoform disorders

300.0 Anxiety states

Excludes: anxiety in:
acute stress reaction (308.0)
transient adjustment reaction (309.24)
neurasthenia (300.5)
psychophysiological disorders (306.0-306.9)
separation anxiety (309.21)

300.00 Anxiety state, unspecified

Anxiety:
neurosis
reaction state (neurotic)
Atypical anxiety disorder

300.01 Panic disorder without agoraphobia

Panic:
attack
state

Excludes: panic disorder with agoraphobia (300.21)

300.02 Generalized anxiety disorder

300.09 Other

300.1 Dissociative, conversion and factitious disorders

Excludes:

adjustment reaction (309.0-309.9)
anorexia nervosa (307.1)
gross stress reaction (308.0-308.9)
hysterical personality (301.50-301.59)
psychophysiologic disorders (306.0-306.9)

300.10 Hysteria, unspecified

300.11 Conversion disorder

Astasia-abasia, hysterical
Conversion hysteria or reaction
Hysterical:
blindness
deafness
paralysis

300.12 Dissociative amnesia

Hysterical amnesia

300.13 Dissociative fugue

Hysterical fugue

300.14 Dissociative identity disorder

Item 5-2 Anxiety is also known as generalized disorder and is evidenced by persistent, excessive and unrealistic worry about everyday things. Dissociative disorders are characterized by a persistent disruption in the integration of memory, consciousness, or identity and a lack of mental connectedness to events. Somataform disorders are characterized by unusual physical symptoms in the absence of any known physical pathology and may lead to unnecessary medical treatments.

300.15 Dissociative disorder or reaction, unspecified

300.16 Factitious disorder with predominantly psychological signs and symptoms

Compensation neurosis
Ganser's syndrome, hysterical

300.19 Other and unspecified factitious illness

Factitious illness (with combined psychological and psychological and physical signs and symptoms) (with predominantly physical signs and symptoms) NOS

Excludes: multiple operations or hospital addiction syndrome (301.51)

300.2 Phobic disorders

Irrational fear with avoidance of the feared subject, activity, or situation.

Divided into 3 types: Specific phobias, social phobias and agoraphobia.

Excludes: anxiety state not associated with a specific situation or object (300.00-300.09)
obsessional phobias (300.3)

300.20 Phobia, unspecified

Anxiety-hysteria NOS
Phobia NOS

300.21 Agoraphobia with panic-disorder

Fear of:

open spaces with panic attacks

streets with panic attacks

travel with panic attacks

Panic disorder with agoraphobia

Excludes: agoraphobia without panic disorder (300.22)

Panic disorder without agoraphobia (300.01)

300.22 Agoraphobia without mention of panic attacks

Any condition classifiable to 300.21 without mention of panic attacks

300.23 Social phobia

Fear of:

eating in public

public speaking

washing in public

300.29 Other isolated or specific phobias

Acrophobia

Fear of heights

Animal phobias

Claustrophobia

Fear of closed spaces

Fear of crowds

300.3 Obsessive-compulsive disorders (OCD)

Anancastic neurosis

Compulsive neurosis Obsessional phobia [any]

Excludes: obsessive-compulsive symptoms occurring in: endogenous depression (296.2-296.3)

organic states (e.g., encephalitis)

schizophrenia (295.0-295.9)

300.4 Dysthymic disorder

Anxiety depression
Depression with anxiety
Depressive reaction
Neurotic depressive state
Reactive depression

Excludes: adjustment reaction with depressive symptoms (309.0-309.1)
depression NOS (311)
manic-depressive psychosis, depressed type (296.2-296.3)
reactive depressive psychosis (298.0)

300.5 Neurasthenia

Fatigue neurosis
Nervous debility
Psychogenic:
asthenia
general fatigue
Use additional code to identify any associated physical disorder

Excludes: anxiety state (300.00-300.09)
neurotic depression (300.4)
psychophysiological disorders (306.0-306.9)
specific nonpsychotic mental disorders following organic brain damage (310.0-310.9)

300.6 Depersonalization syndrome

Derealization (neurotic)
Neurotic state with depersonalization episode

Excludes: depersonalization associated with:
anxiety (300.00- 300.09)
depression (300.4)
manic-depressive disorder or psychosis (296.0-296.9)
schizophrenia (295.0-295.9)

300.7 Hypochondriasis

Hypochondriac
Body dysmorphic disorder

Excludes: hypochondriasis in:
hysteria (300.10-300.19)
manicdepressive psychosis, depressed type (296.2-296.3)
neurasthenia (300.5)
obsessional disorder (300.3)
schizophrenia (295.0-295.9)

300.8 Somatoform disorders

300.81 Somatization disorder

Briquet's disorder
Severe somatoform disorder

300.82 Undifferentiated somatization disorder

Atypical somatoform disorder
Somatoform disorder NOS

300.89 Other somatoform disorders

Occupational neurosis, including writers' cramp
Psychasthenia
Psychasthenic neurosis

300.9 Unspecified nonpsychotic mental disorder

Psychoneurosis NOS

301 Personality disorders: Long-term patterns of thoughts and behaviors causing serious problems with relationships and work

Includes: character neurosis

Use additional code to identify any associated neurosis or psychosis, or physical condition

Excludes: nonpsychotic personality disorder associated with organic brain syndromes (310.0-310.9)

301.0 Paranoid personality disorder

Fanatic personality
Paranoid personality (disorder)
Paranoid traits
Excludes: acute paranoid reaction (298.3)
alcoholic paranoia (291.5)
paranoid schizophrenia (295.3)
paranoid states (297.0-297.9)

301.1 Affective personality disorder

Excludes: affective psychotic disorders (296.0-296.9)
neurasthenia (300.5)
neurotic depression (300.4)

301.10 Affective personality disorder, unspecified

301.11 Chronic hypomanic personality disorder

Chronic hypomanic disorder
Hypomanic personality

301.12 Chronic depressive personality disorder

Chronic depressive disorder
Depressive character or personality

301.13 Cyclothymic disorder

Cycloid personality
Cyclothymia
Cyclothymic personality

301.2 Schizoid personality disorder

Excludes: schizophrenia (295.0-295.9)

301.20 Schizoid personality disorder, unspecified

301.21 Introverted personality

301.22 Schizotypal personality

301.3 Explosive personality disorder

Aggressive:
personality
reaction

Aggressiveness
Emotional instability (excessive)
Pathological emotionality Quarrelsomeness

Excludes: dyssocial personality (301.7) hysterical neurosis (300.10-300.19)

301.4 Obsessive-compulsive personality disorder

Anancastic personality
Obsessional personality

Excludes: obsessive-compulsive disorder (300.3)
phobic state (300.20-300.29)

301.5 Histrionic personality disorder

Excludes: hysterical neurosis (300.10-300.19).

301.50 Histrionic personality disorder, unspecified

Hysterical personality NOS

301.51 Chronic factitious illness with physical symptoms

Hospital addiction syndrome
Multiple operations syndrome
Munchausen syndrome

301.59 Other histrionic personality disorder

Personality:
emotionally unstable
labile
Psychoinfantile

301.6 Dependent personality disorder

Asthenic personality
Inadequate personality
Passive personality
Excludes: neurasthenia (300.5)
passive-aggressive personality (301.84)

301.7 Antisocial personality disorder

Amoral personality
Asocial personality
Dyssocial personality
Personality disorder with predominantly sociopathic or asocial manifestation
Excludes: disturbance of conduct without specifiable personality
disorder (312.0-312.9)
explosive personality (301.3)

301.8 Other personality disorders

301.81 Narcissistic personality disorder

301.82 Avoidant personality disorder

301.83 Borderline personality disorder

301.84 Passive-aggressive personality disorder

301.89 Other

Personality:

eccentric

"haltlose" type

immature

masochistic

psychoneurotic

Excludes: psychoinfantile personality (301.59)

301.9 Unspecified personality disorder

Pathological personality NOS

Personality disorder NOS

Psychopathic:

constitutional state

personality (disorder)

302 Sexual and gender identity disorders

Excludes: sexual disorder manifest in:

organic brain syndrome (290.0-294.9, 310.0-310.9)

psychosis (295.0-298.9)

302.0 Ego-dystonic sexual orientation

Ego-dystonic lesbianism

Sexual orientation conflict disorder

Excludes: homosexual pedophilia (302.2)

302.1 Zoophilia

Bestiality

302.2 Pedophilia

302.3 Transvestism fetishism

Excludes: trans-sexualism (302.5)

302.4 Exhibitionism

302.5 Trans-sexualism

Sex reassignment surgery status

Excludes: transvestism (302.3)

302.50 With unspecified sexual history

302.51 With asexual history

302.52 With homosexual history

302.53 With heterosexual history

302.6 Gender identity disorder in children

Check age: Adolescents and adults separately classified under 302.85

Feminism in boys

Gender identity disorder NOS

Excludes: gender identity disorder in adult (302.85)

trans-sexualism (302.50-302.53)

transvestism (302.3)

302.7 Psychosexual dysfunction

Excludes: decreased sexual desire NOS (799.81)

impotence of organic origin (607.84)

normal transient symptoms from ruptured hymen transient or occasional failures of erection due to fatigue, anxiety, alcohol, or drugs,

302.70 Psychosexual dysfunction, unspecified

Sexual dysfunction NOS

302.71 Hyperactive sexual desire disorder

Excludes: decreased sexual desire NOS (799.81)

302.72 With inhibited sexual excitement

Female sexual arousal disorder

Frigidity

Impotence

Male erectile disorder

302.73 Female orgasmic disorder

302.74 Male orgasmic disorder

302.75 Premature ejaculation

302.76 Dyspareunia, psychogenic

302.79 With other specified psychosexual dysfunctions

Sexual aversion disorder

302.8 Other specified psychosexual disorders

302.81 Fetishism

302.82 Voyeurism

302.83 Sexual masochism

302.84 Sexual sadism

302.85 Gender identity disorder of adolescent or adults

Use additional code to identify sex reassignment surgery status (302.5)

Excludes: gender identity disorder NOS (302.6)

gender identity disorder in children (302.6)

302.89 Other

Frotteurism
Nymphomania
Satyriasis

302.9 Unspecified psychosexual disorder

Paraphilia NOS
Pathologic sexuality NOS
Sexual deviation NOS
Sexual disorder NOS

303 Alcohol dependence syndrome

Use additional code to identify any associated condition, as:
alcoholic psychoses (291.0-291.9)
drug dependence (304.0-304.9)
physical complications of alcohol, such as:
cerebral degeneration (331.7)
cirrhosis of liver (571.2)
epilepsy (345.0-345.9)
gastritis (535.3)
hepatitis (571.1)
liver damage NOS (571.3)
Excludes: *drunkenness NOS (305.0)*

*The following fifth-digit subclassification is for use with category 303:
0 unspecified 1 continuous 2 episodic 3 in remission*

303.0 Acute alcoholic intoxication

Acute drunkenness in alcoholism

303.9 Other and unspecified alcohol dependence

Chronic alcoholism
Dipsomania

304 Drug dependence

For some “dependence” codes there is a corresponding “abuse” code. There is a point at which drug use crosses from “abuse” to “dependence.” Check documentation or query provider for patient status.

Excludes: nondependent abuse of drugs (305.1-305.9)

*The following fifth-digit subclassification is for use with category 304:
0 unspecified 1 continuous 2 episodic 3 in remission*

304.0 Opioid type dependence

Heroin,
Meperidine,
Methadone,
Morphine,
Opium, Opium alkaloids and derivatives
Synthetics with morphine-like effects

304.1 Sedative, hypnotic or anxiolytic dependence

Barbiturates

Nonbarbiturate sedatives and tranquilizers with a similar effect:

chlordiazepoxide

diazepam

glutethimide

meprobamate

methaqualone

304.2 Cocaine dependence

Coca leaves and derivatives

304.3 Cannabis dependence

Code 305.2 is for abuse of cannabis.

Hashish

Hemp

Marijuana

304.4 Amphetamine and other psychostimulant dependence

Methylphenidate

Phenmetrazine

304.5 Hallucinogen dependence

Dimethyltryptamine [DMT]

Lysergic acid diethylamide [LSD] and derivatives

Mescaline

Psilocybin

304.6 Other specified drug dependence

Absinthe addiction

Glue sniffing

Inhalant dependency

Phencyclidine dependence

Excludes: tobacco dependence (305.1)

304.7 Combinations of opioid type drug with any other

304.8 Combinations of drug dependence excluding opioid type drug

304.9 Unspecified drug dependence

Drug addiction NOS

Drug dependence NOS

305 Nondependent abuse of drugs

Note: Includes cases where a person, for whom no other diagnosis is possible, has come under medical care because of the maladaptive effect of a drug on which he is not dependent and that he has taken on his own initiative (self-medicating) to the detriment of his health or social functioning.

Excludes: alcohol dependence syndrome (303.0-303.9)

drug dependence (304.0-304.9)
drug withdrawal syndrome (292.0)
poisoning by drugs or medicinal substances (960.0-979.9)

The following fifth-digit subclassification is for use with codes 305.0, 305.2-305.9
0 unspecified 1 continuous 2 episodic 3 in remission

305.0 Alcohol abuse

Drunkenness NOS
Excessive drinking of alcohol NOS
"Hangover"(alcohol)
Inebriety NOS
Excludes: acute alcohol intoxication in alcoholism
(303.0)
alcoholic psychoses (291.0-291.9)

305.1 Tobacco use disorder

Tobacco dependence
Excludes: history of tobacco use (V15.82)
Smoking complicating pregnancy (649.0)
tobacco disorder complicating pregnancy (649.0)

305.2 Cannabis abuse

Code 304.3 is cannabis dependence

305.3 Hallucinogen abuse

Acute intoxication from hallucinogens ["bad trips"]
LSD reaction

305.4 Sedative, hypnotic or anxiolytic abuse

305.5 Opioid abuse

305.6 Cocaine abuse

305.7 Amphetamine or related acting sympathomimetic abuse

305.8 Antidepressant type abuse

305.9 Other, mixed, or unspecified drug abuse

Caffeine intoxication
Inhalant abuse
"Laxative habit"
Misuse of drugs NOS
Nonprescribed use of drugs or patent medicinals
Phencyclidine abuse

306. Physiological malfunction arising from mental factors

Includes: psychogenic
physical symptoms not involving tissue damage
physiological manifestations not involving tissue damage

Excludes: hysteria (300.11-300.19)
physical symptoms secondary to a psychiatric disorder classified elsewhere
psychic factors associated with physical conditions involving tissue damage
classified elsewhere (316)
specific non-psychotic mental disorders following organic brain damage
(310.0-310.9)

306.0 Musculoskeletal

Psychogenic paralysis

Psychogenic torticollis

Excludes: Gilles de la Tourette's syndrome (307.23)

paralysis as hysterical or conversion reaction (300.11)

tics (307.20-307.22)

306.1 Respiratory

Psychogenic:

air hunger

cough hiccup

hyperventilation

yawning

Excludes: psychogenic asthma (316 and 493.9)

306.2 Cardiovascular

Cardiac neurosis

Neurocirculatory asthenia

Psychogenic cardiovascular disorder

Excludes: psychogenic paroxysmal tachycardia (316 and 427.2)

306.3 Skin

Psychogenic pruritus

Excludes: psychogenic:

alopecia (316 and 704.00)

dermatitis (316 and 692.9)

eczema (316 and 691.8 or 692.9)

urticaria (316 and 708.0-708.9)

306.4 Gastrointestinal

Aerophagy

Cyclical vomiting, psychogenic

Diarrhea, psychogenic

Nervous gastritis

Psychogenic dyspepsia

Excludes:

Cyclical vomiting NOS (536.2)

Associated with migraine ((346.2)

Globus hystericus (300.11)

Mucous colitis (316 and 532.0-532.9)

Psychogenic:

Cardiospasm (316 and 530.0)

Duodenal ulcer (316 and 532.0-532.9)
Gastric ulcer (316 and 531.0-531.9)
Peptic ulcer (NOS (316 and 533.0-533.9)
Vomiting NOS (307.54)

306.5 Genitourinary

Excludes:

enuresis, psychogenic (307.6)
frigidity(302.72)
impotence (302.72)
psychogenic dyspareunia (302.76)

306.50 Psychogenic genitourinary malfunction, unspecified

306.51 Psychogenic vaginismus

306.52 Psychogenic dysmenorrhea

306.53 Psychogenic dysuria

306.59 Other

306.6 Endocrine

306.7 Organs of special sense

Excludes:

hysterical blindness or deafness (300.11)
psychophysical visual disturbances (368.16)

306.8 Other specified psychophysiological malfunction

Bruxism

Sleep-related Bruxism, 327.53.

Teeth grinding

306.9 Unspecified psychophysiological malfunction

Psychophysiologic disorder NOS

Psychosomatic disorder NOS

307 Special symptoms or syndromes, not elsewhere classified

Note: This category is intended for use if the psychopathology is manifested by a single specific symptom or group of symptoms which is not part of an organic illness or other mental disorder classifiable elsewhere.

Excludes: those due to mental disorders classified elsewhere those of organic origin

307.0 Adult onset fluency disorder

Excludes: childhood onset fluency disorder (315.35)
dysphasia (784.59)
fluency disorder) due to late effect of cerebrovascular accident (438.14)
fluency disorder in conditions classified elsewhere (784.52)
lispings or lalling (307.9)
retarded development of speech (315.31 – 315.39)26

307.1 Anorexia nervosa

Excludes:
eating disturbance NOS (307.50)
feeding problem (783.3) of nonorganic origin (307.59)
loss of appetite (783.0)
of nonorganic origin (307.59)

307.2 Tics

Excludes: nail-biting or thumb-sucking (307.9)
stereotypes occurring in isolation (307.3)
tics of organic origin (333.3)

307.20 Tic disorder, unspecified

Tic disorder NOS

307.21 Transient tic disorder

307.22 Chronic motor or vocal tic disorder

307.23 Tourette's disorder

Motor-verbal tic disorder

307.3 Stereotyped movement disorder

Body-rocking
Head banging
Spasmus nutans
Stereotypes NOS

Excludes: tics (307.20-307.23)
of organic origin (333.3)

307.4 Specific disorders of sleep of nonorganic origin

Excludes: narcolepsy (347.00 – 347.11)
organic hypersomnia (327.10-327.19)
organic insomnia (327.00-327.09)
those of unspecified cause (780.50-780.59)

307.40 Nonorganic sleep disorder, unspecified

307.41 Transient disorder of initiating or maintaining sleep

Adjustment insomnia
Hypersomnia associated with intermittent emotional reactions or conflicts
Insomnia associated with intermittent emotional reactions or conflicts
Sleeplessness associated with intermittent emotional reactions or conflicts

307.42 Persistent disorder of initiating or maintaining sleep

Hypersomnia, insomnia, or sleeplessness associated with:
anxiety
conditioned arousal
depression (major) (minor)
psychosis
Idiopathic insomnia
Paradoxical insomnia
Primary insomnia
Psychophysiological insomnia

307.43 Transient disorder of initiating or maintaining wakefulness

Hypersomnia associated with acute or intermittent emotional reactions or conflicts

307.44 Persistent disorder of initiating or maintaining wakefulness

Hypersomnia associated with depression
(major) (minor)
Insufficient sleep syndrome
Primary hypersomnia
Excludes sleep deprivation (V69.4)

307.45 Circadian rhythm sleep disorder of nonorganic origin

307.46 Sleep arousal disorder

Night terror disorder
Night terrors Sleep terror disorder
Sleepwalking
Somnambulism

307.47 Other dysfunctions of sleep stages or arousal from sleep

Nightmare disorder
Nightmares: NOS REMsleep
type Sleep
drunkenness

307.48 Repetitive intrusions of sleep

Repetitive intrusion of sleep with:
atypical polysomnographic features
environmental disturbances
repeated REM-sleep interruptions

307.49 Other

"Short-sleeper"
Subjective insomnia complaint

307.5 Other and unspecified disorders of Eating

Excludes:

anorexia:

nervosa (307.1)
of unspecified cause (783.0) \
overeating, of unspecified cause
(783.6) vomiting: NOS
(787.03) cyclical
(536.2) associated with migraine
(346.2) psychogenic (306.4)

307.50 Eating disorder, unspecified

Eating disorder NOS

307.51 Bulimia nervosa

Overeating of nonorganic origin

307.52 Pica

Perverted appetite of nonorganic origin

Craving and eating substances such as paint, clay or dirt to replace a nutritional deficit in the body

307.53 Rumination disorder

Regurgitation, of nonorganic origin, of food
with reswallowing

Excludes: obsessional rumination (300.3)

307.54 Psychogenic vomiting

307.59 Other

Feeding disorder of infancy or early childhood of nonorganic origin

Infantile feeding disturbances of nonorganic origin

Loss of appetite of nonorganic origin

307.6 Enuresis

Enuresis (primary) (secondary) of nonorganic origin

Excludes: enuresis of unspecified cause (788.3)

307.7 Encopresis:

Encopresis (continuous) (discontinuous) of nonorganic origin

Excludes: encopresis of unspecified cause (787.60 – 787.63)

307.8 Pain disorders related to psychological factors

307.80 Psychogenic pain, site unspecified

307.81 Tension headache

Excludes: headache:

migraine (346.0-346.9)

NOS (784.0)

syndromes (339.00-339.89)

tension type(339.10-339.12)

307.89 Other

Code first to site of pain

Excludes: pains disorder\ exclusively attributed to psychological factors (307.80)
Psychogenic pain (307.80)

307.9 Other and unspecified special symptoms or syndromes, not elsewhere classified

Communication disorder NOS

Hair plucking

Lalling

Lisping

Masturbation

Nail-biting

Thumb-sucking

308 Acute reaction to stress

Includes: catastrophic stress
combat and operational stress reaction
combat fatigue
gross stress reaction (acute)
transient disorders in response to exceptional physical or mental stress which usually subside within hours or days

Excludes: adjustment reaction or disorder (309.0-309.9) chronic stress reaction (309.1-309.9)

308.0 Predominant disturbance of emotions

Anxiety as acute reaction to exceptional [gross] stress

Emotional crisis as acute reaction to exceptional [gross] stress

Panic state as acute reaction to exceptional [gross] stress

308.1 Predominant disturbance of consciousness

Fugues as acute reaction to exceptional [gross] stress

308.2 Predominant psychomotor disturbance

Agitation states as acute reaction to exceptional [gross] stress

Stupor as acute reaction to exceptional [gross] stress

308.3 Other acute reactions to stress

Acute situational disturbance

Acute stress disorder

Excludes: prolonged posttraumatic emotional disturbance (309.81)

308.4 Mixed disorders as reaction to stress

308.9 Unspecified acute reaction to stress

309 Adjustment reaction

Includes: adjustment disorders

Reaction (adjustment) to chronic stress

Excludes: acute reaction to major stress (308.0- 308.9)

neurotic disorders (300.0-300.9)

309.0 Adjustment disorder with depressed mood

Grief reaction

Excludes: affective psychoses (296.0-296.9)
neurotic depression (300.4)
prolonged depressive reaction (309.1)
psychogenic depressive psychosis (298.0)

309.1 Prolonged depressive reaction

Excludes: affective psychoses (296.0-296.9)
brief depressive reaction (309.0)
neurotic depression (300.4)
psychogenic depressive psychosis (298.0)

309.2 With predominant disturbance of other emotions

309.21 Separation anxiety disorder

309.22 Emancipation disorder of adolescence and early adult life

309.23 Specific academic or work inhibition

309.24 Adjustment disorder with anxiety

309.28 Adjustment disorder with mixed anxiety and depressed mood

Adjustment reaction with anxiety and depression

309.29 Other

Culture shock

309.3 Adjustment disorder with disturbance of conduct

Conduct disturbance as adjustment reaction

Destructiveness as adjustment reaction

Excludes: destructiveness in child (312.9)
disturbance of conduct NOS (312.9)
dyssocial behavior without manifest psychiatric disorder (V71.01- V71.02)
personality disorder with predominantly sociopathic or asocial manifestations (301.7)

309.4 Adjustment disorder with mixed disturbance of emotions and conduct

309.8 Other specified adjustment reactions

309.81 Posttraumatic stress disorder

Chronic posttraumatic stress disorder

Concentration camp syndrome

Posttraumatic stress disorder NOS

Post-Traumatic Stress Disorder (PTSD)

Excludes: posttraumatic brain syndrome:

nonpsychotic (310.2)

psychotic (293.0-293.9)

Acute stress disorder (308.3)

309.82 Adjustment reaction with physical symptoms

309.83 Adjustment reaction with withdrawal

Elective mutism as adjustment reaction
Hospitalism (in children) NOS

309.89 Other

309.9 Unspecified adjustment reaction

Adaptation reaction NOS
Adjustment reaction NOS

310 Specific nonpsychotic mental disorders due to organic brain damage

Excludes: neuroses, personality disorders, or other nonpsychotic conditions occurring in a form similar to that seen with functional disorders but in association with a physical condition (300.0-300.9, 301.0-301.9)

310.0 Frontal lobe syndrome

Lobotomy syndrome
Postleucotomy syndrome [state]
Excludes: *postcontusion syndrome (310.2)*

310.1 Personality change due to conditions classified elsewhere

Cognitive or personality change of other type, of nonpsychotic severity
Organic psychosyndrome of nonpsychotic severity
Presbyphrenia NOS
Senility with mental changes of nonpsychotic severity
Excludes: mild cognitive impairment (331.83)
Post concussion syndrome (310.2)
Signs and symptoms involving emotional state (799.21-799.29)

310.2 Postconcussion syndrome

Postcontusion syndrome or encephalopathy
Posttraumatic brain syndrome, nonpsychotic
Status postcommotio cerebri
Use additional code to identify associated Post-traumatic headache, if applicable (339.20-339.22)

Excludes: frontal lobe syndrome (310.0) postencephalitic syndrome (310.8) any organic psychotic conditions following head injury (293.0-294.0).

310.8 Other specified nonpsychotic mental disorders following organic brain damage

310.81 Pseudobulbar affect

Involuntary emotional expression disorder
Code first underlying cause, if known, such as:
Amyotrophic lateral sclerosis (335.20)
Late effect of cerebrovascular accident (438.89)
Late effect of traumatic brain injury (907.0)
Multiple sclerosis (340)

Mild memory disturbance Postencephalitic syndrome Other focal (partial) organic psychosyndromes

Excludes: memory loss of unknown cause (780.93)

310.9 Unspecified nonpsychotic mental disorder following organic brain damage

311 Depressive disorder, not elsewhere classified

Depressive disorder NOS

Depressive state NOS

Depression NOS

Excludes: acute reaction to major stress with depressive symptoms (308.0)

affective personality disorder (301.10-301.13)

affective psychoses (296.0-296.9)

brief depressive reaction (309.0)

depressive states associated with stressful events (309.0-309.1)

disturbance of emotions specific to childhood and adolescence, with misery and unhappiness (313.1)

mixed adjustment reaction with depressive symptoms (309.4)

neurotic depression (300.4)

prolonged depressive adjustment reaction (309.1)

psychogenic depressive psychosis (298.0)

312 Disturbance of conduct, not elsewhere classified

Excludes: adjustment reaction with disturbance of conduct (309.3)

drug dependence (304.0-304.9)

dyssocial behavior without manifest psychiatric disorder (V71.01- V71.02)

personality disorder with predominantly sociopathic or asocial manifestations (301.7)

sexual deviations (302.0-302.9)

The following fifth-digit subclassification is for use with categories 312.0-312.2:

0 unspecified 1 mild 2 moderate 3 severe

312.0 Undersocialized conduct disorder, aggressive type

Aggressive outburst

Anger reaction

Unsocialized aggressive disorder

312.1 Undersocialized conduct disorder, unaggressive type

Childhood truancy, unsocialized

Solitary stealing

Tantrums

312.2 Socialized conduct disorder

Childhood truancy, socialized

Group delinquency

Excludes: gang activity without manifest psychiatric disorder (V71.01)

312.3 Disorders of impulse control, not elsewhere classified

312.30 Impulse control disorder, unspecified

312.31 Pathological gambling

312.32 Kleptomania: stealing

312.33 Pyromania: setting fires

312.34 Intermittent explosive disorder

312.35 Isolated explosive disorder

312.39 Other

Trichotillomania: pulling or twisting hair until it falls out

312.4 Mixed disturbance of conduct and emotions

Neurotic delinquency

Excludes: compulsive conduct disorder (312.3)

312.8 Other specified disturbances of conduct, not elsewhere classified

312.81 Conduct disorder, childhood onset type

312.82 Conduct disorder, adolescent onset type

312.89 Other conduct disorder

Conduct disorder of unspecified onset

312.9 Unspecified disturbance of conduct

Delinquency (juvenile)

Disruptive behavior disorder NOS

313 Disturbance of emotions specific to childhood and adolescence

Excludes: adjustment reaction (309.0-309.9)

emotional disorder of neurotic type (300.0-300.9)

masturbation, nail-biting, thumb-sucking, and other isolated symptoms (307.0-307.9)

313.0 Overanxious disorder

Anxiety and fearfulness of childhood and adolescence

Overanxious disorder of childhood and adolescence

Excludes: abnormal separation anxiety (309.21)

anxiety states (300.00-300.09)

hospitalism in children (309.83) \

phobic state (300.20-300.29)

313.1 Misery and unhappiness disorder

Excludes: depressive neurosis (300.4)

313.2 Sensitivity, shyness, and social withdrawal disorder

Excludes: infantile autism (299.0)
schizoid personality (301.20-301.22)
schizophrenia (295.0-295.9)

313.21 Shyness disorder of childhood

Sensitivity reaction of childhood or adolescence

313.22 Introverted disorder of childhood

Social withdrawal of childhood or adolescence
Withdrawal reaction of childhood or adolescence

313.23 Selective mutism

Excludes: elective mutism as adjustment reaction (309.83)

313.3 Relationship problems

Sibling jealousy

Excludes: relationship problems associated with aggression,
destruction, or other forms of conduct disturbance (312.0-312.9)

313.8 Other or mixed emotional disturbances of childhood or adolescence

313.81 Oppositional defiant disorder

313.82 Identity disorder

313.83 Academic underachievement disorder

313.89 Other

Reactive attachment disorder of infancy or early childhood

313.9 Unspecified emotional disturbance of childhood or adolescence

Mental disorder of infancy, childhood or adolescence NOS

314 Hyperkinetic syndrome of childhood

Excludes: hyperkinesia as symptom of underlying disorder – code the underlying disorder

314.0 Attention deficit disorder (ADD)

Adult
Child

314.00 Without mention of hyperactivity

Predominantly inattentive type

314.01 With hyperactivity

(Attention Deficit Disorder with Hyperactivity = ADHD)

Combined type
Overactivity NOS
Predominantly hyperactive/impulsive type
Simple disturbance of attention with Overactivity

- 314.1 Hyperkinesis with developmental delay**
Developmental disorder of hyperkinesis
Use additional code to identify any associated neurological disorder
- 314.2 Hyperkinetic conduct disorder**
Hyperkinetic conduct disorder without developmental delay
Excludes: hyperkinesis with significant delays in specific skills (314.1)
- 314.8 Other specified manifestations of hyperkinetic syndrome**
- 314.9 Unspecified hyperkinetic syndrome**
Hyperkinetic reaction of childhood or adolescence NOS
Hyperkinetic syndrome NOS
- 315 Specific delays in development**
Excludes: that are due to a neurological disorder (320.0-389.9)
- 315.0 Specific reading disorder**
- 315.00 Reading disorder, unspecified**
- 315.01 Alexia**
- 315.02 Developmental dyslexia**
- 315.09 Other**
Specific spelling difficulty
- 315.1 Mathematics disorder**
Dyscalculia
- 315.2 Other specific learning difficulties**
Disorder of written expression
Excludes: specific arithmetical disorder (315.1) specific reading disorder (315.00 315.09)
- 315.3 Developmental speech or language disorder**
- 315.31 Expressive language disorder**
Developmental aphasia
Word deafness
Excludes: acquired aphasia (784.3) elective mutism (309.83, 313.0, 313.23)
- 315.32 Mixed receptive-expressive language disorder**
Central auditory processing disorder.
Excludes: acquired auditory processing disorder (388.45)
- 315.34 Speech and language developmental delay due to hearing loss**
- 315.35 Childhood onset fluency disorder**
Cluttering NOS
Stuttering NOS
Excludes: Adult onset fluency disorder (307.0)

Fluency disorder to late effect of cerebrovascular accident (438.14)
Fluency disorder in conditions classified elsewhere (784.52)

315.39 Other

Developmental articulation disorder
Dyslalia
Phonological disorder
Excludes: lisping and lalling (307.9)

315.4 Developmental coordination disorder

Clumsiness syndrome
Dyspraxia syndrome
Specific motor development disorder
psychosocial dwarfism (259.4)

315.5 Mixed developmental disorder

315.8 Other specified delays in development

315.9 Unspecified delay in development

Developmental disorder, NOS
Learning disorder, NOS

316 Psychic factors associated with diseases classified elsewhere

Psychologic factors in physical conditions classified elsewhere
Use additional code to identify the physical condition, as
Psychogenic:

Asthma (493.9)
Dermatitis (692.9)
Duodenal ulcer (532.0-532.9)
Eczema (691.8-692.9)
Gastric ulcer (531.0-531.9)
Mucous colitis (564.9)
Paroxysmal tachycardia (427.2)
Ulcerative colitis (556)
Urticaria (708.0-708.9)
Psychosocial dwarfism (259.4)

Excludes: physical symptoms and physiological malfunctions, not involving tissue damage, of mental origin (306.0-306.9)

317 Mild intellectual disabilities

High-grade defect
IQ 50- 70
Mild mental subnormality

318 Other specified intellectual disabilities

318.0 Moderate intellectual disabilities

IQ 35-49
Moderate mental subnormality

318.1 Severe intellectual disabilities

IQ 20-34

Severe mental subnormality

318.2 Profound intellectual disabilities

IQ under 20

Profound mental subnormality

319 Unspecified intellectual disabilities

Mental deficiency NOS

Mental subnormality NOS