

The ICD-9 Diagnostic Codes that are listed here are 2013 Codes. ICD-9 Codes are currently utilized in insurance billing and are applicable until the ICD-10 is released in October, 2014. It is recommended that providers obtain a copy of the DSM-5 at this time. The DSM-5 provides the diagnostic criteria that is applicable to each of the diagnostic categories and it contains both the ICD-9 and ICD-10 codes.

## 2013 ICD-9-CM Mental, Behavioral and Neurodevelopmental Disorders

### **PSYCHOSES (290-299)**

**Excludes:** intellectual abilities

### **ORGANIC PSYCHOTIC CONDITIONS (290-294)**

**Includes:** psychotic organic brain syndrome

**Excludes:** nonpsychotic syndromes of organic etiology (310.0-310.9)  
psychoses classifiable to 295-298 and without impairment of orientation, comprehension, calculation, learning capacity, and judgement, but associated with physical disease, injury, or condition affecting the brain [e.g., following childbirth] (295.0-298.8)

#### **290 Dementias**

Progressive decline in cognition along with a short and long-term memory loss due to brain damage/disease.

**Code first the associated neurological condition**

**Excludes:** dementia due to alcohol (291.0-291.2)  
dementia due to drugs (292.82)  
dementia not classified as senile, presenile, or arteriosclerotic (294.10-294.11)  
psychoses classifiable to 295-298 occurring in the senium without dementia or delirium (295.0-298.8)  
senility with mental changes of nonpsychotic severity (310.1)  
transient organic psychotic conditions (293.0-293.9)

#### **290.0 Senile dementia, uncomplicated**

Senile dementia:

NOS simple type

**Excludes:** mild memory disturbances, not amounting to dementia, associated with senile brain (310.89)

senile dementia with: delirium or confusion (290.3) delusional [paranoid] features (290.20)  
depressive features (290.21)

#### **290.1 Presenile dementia**

Brain syndrome with presenile brain disease

**Excludes:** arteriosclerotic dementia (290.40-290.43)  
dementia associated with other cerebral conditions (290.10)-(294.11)

#### **290.10 Presenile dementia, uncomplicated**

Presenile dementia:

NOS simple type

**290.11 Presenile dementia with delirium**

Presenile dementia with acute confusional state

**290.12 Presenile dementia with delusional features**

Presenile dementia, paranoid type

**290.13 Presenile dementia with depressive features**

Presenile dementia, depressed type

**290.2 Senile dementia with delusional or depressive features**

**Excludes:** senile dementia:

NOS (290.0)

with delirium and/or confusion (290.3)

**290.20 Senile dementia with delusional features**

Senile dementia, paranoid type

Senile psychosis NOS

**290.21 Senile dementia with depressive features**

**290.3 Senile dementia with delirium**

Senile dementia with acute confusional state

**Excludes:** senile:

Dementia NOS (290.0)

NOS (290.0) psychosis NOS (290.20)

**290.4 Vascular dementia**

Multi-infarct dementia or psychosis

Use additional code to identify cerebral atherosclerosis (437.0)

**Excludes:** suspected cases with no clear evidence of arteriosclerosis (290.9)

**290.40 Vascular dementia, uncomplicated**

Arteriosclerotic dementia:

NOS

simple type

**290.41 Vascular dementia with delirium**

Arteriosclerotic dementia with acute confusional state

**290.42 Vascular dementia with delusional features**

Arteriosclerotic dementia, paranoid type

**290.43 Vascular dementia with depressive features**

Arteriosclerotic dementia, depressed type

**290.8 Other specified senile psychotic conditions**

Presbyophrenic psychosis

**290.9 Unspecified senile psychotic condition**

**291 Alcoholic induced mental disorders**

**Excludes:** alcoholism without psychosis (303.0-303.9)

**291.0 Alcohol withdrawal delirium**

Alcoholic delirium

Delirium tremens

**Excludes:** alcohol withdrawal (291.81)

**291.1 Alcohol induced persisting amnestic disorder**

Alcoholic polyneuritic psychosis

Korsakoff's psychosis, alcoholic

Wernicke-Korsakoff syndrome (alcoholic)

**291.2 Alcohol induced persisting dementia**

Alcoholic dementia NOS

Alcoholism associated with dementia NOS

Chronic alcoholic brain syndrome

**291.3 Alcohol induced psychotic disorder with hallucinations**

Alcoholic:

hallucinosis (acute)

psychosis with hallucinosis

**Excludes:** alcohol withdrawal with delirium (291.0)

Schizophrenia (295.0-295.9) and paranoid states (297.0-297.9)

taking the form of chronic hallucinosis with clear consciousness in an alcoholic

DEF: Psychosis lasting less than six months with slight or no clouding of consciousness in which auditory hallucinations predominate.

**291.4 Idiosyncratic alcohol intoxication**

Pathologic:

Alcohol intoxication

drunkenness

**Excludes:** acute alcohol intoxication (305.0)

in alcoholism (303.0)

simple drunkenness (305.0)

**291.5 Alcohol induced psychotic disorder with delusions**

Alcoholic:

Paranoia

psychosis,

paranoid type

**Excludes:** nonalcoholic paranoid states (297.0-297.9)

schizophrenia, paranoid type (295.3)

**291.8 Other specified alcohol induced mental disorders**

**291.81 Alcohol withdrawal**

Alcohol:

abstinence syndrome or symptoms withdrawal syndrome or symptoms

**Excludes:** alcohol withdrawal:

delirium (291.0)

hallucinosis (291.3)

delirium tremens (291.0)

**291.82 Alcohol induced sleep disorders**

Alcohol induced circadian rhythm sleep disorders Alcohol induced hypersomnia

Alcohol induced insomnia

Alcohol induced parasomnia

**291.89 Other**

Alcohol induced anxiety disorder

Alcohol induced mood disorder

Alcohol induced sexual dysfunction

**291.9 Unspecified alcohol induced mental disorders**

Alcoholic: mania NOS

psychosis NOS

Alcoholism (chronic) with psychosis

Alcohol related disorder NOS

**292 Drug induced mental disorders**

**Includes:** organic brain syndrome associated with consumption of drugs

Use additional code for any associated drug dependence (304.0-304.9)

Use additional E code to identify drug

**292.0 Drug withdrawal**

Drug:

abstinence syndrome or symptoms

withdrawal syndrome or symptoms

**292.1 Drug induced psychotic disorders**

**292.11 Drug-induced psychotic disorder with delusions**

Paranoid state induced by drugs

**292.12 Drug-induced psychotic disorder with hallucinations**

Hallucinatory state induced by drugs

**Excludes:** states following LSD or other hallucinogens, lasting only a few days or less ["bad trips"] (305.3)

**292.2 Pathological drug intoxication**

Drug reaction resulting in brief psychotic states

NOS

idiosyncratic

pathologic

**Excludes:** expected brief psychotic reactions to hallucinogens ["bad trips"] (305.3) physiological side-effects of drugs (e.g., dystonias)

**292.8 Other specified drug-induced mental disorders**

**292.81 Drug-induced delirium**

**292.82 Drug-induced persisting dementia**

**292.83 Drug-induced persisting amnestic syndrome**

**292.84 Drug-induced mood disorder**

Depressive state induced by drugs

**292.85 Drug induced sleep disorders**

Drug induced circadian rhythm sleep disorder

Drug induced hypersomnia

Drug induced insomnia

Drug induced parasomnia

**292.89 Other**

Drug induced anxiety disorder

Drug induced organic personality syndrome

Drug induced sexual dysfunction

Drug intoxication

**292.9 Unspecified drug-induced mental disorder**

Drug related disorder NOS

Organic psychosis NOS due to or associated with drugs

**293 Transient mental disorders due to conditions classified elsewhere**

**Includes:** transient organic mental disorders not associated with alcohol or drugs

Code first the associated physical or neurological condition

**Excludes:** confusional state or delirium superimposed on senile dementia (290.3)

dementia due to: alcohol (291.0- 291.9)

arteriosclerosis (290.40-290.43)

drugs (292.82)

senility (290.0)

**293.0 Delirium due to conditions classified elsewhere**

Acute:

confusional state

infective psychosis

organic reaction

posttraumatic organic psychosis

psycho-organic syndrome

Acute psychosis associated with endocrine, metabolic, or cerebrovascular disorder Epileptic:

confusional state twilight state

Epileptic:

confusional state

twilight state

**293.1 Subacute delirium**

Subacute:

confusional state

infective psychosis

organic reaction posttraumatic organic psychosis

psycho-organic syndrome

psychosis associated with endocrine or metabolic disorder

**293.8 Other specified transient organic mental disorders due to conditions classified elsewhere**

**293.81 Psychotic disorder with delusions in conditions classified elsewhere**

Transient organic psychotic condition, paranoid type

**293.82 Psychotic disorder with hallucinations in conditions classified elsewhere**

Transient organic psychotic condition, hallucinatory type

**293.83 Mood disorder in conditions classified elsewhere**

Transient organic psychotic condition, depressive type

**293.84 Anxiety disorder in conditions classified elsewhere**

**293.89 Other**

Catatonic disorder in conditions classified elsewhere

**293.9 Unspecified transient mental disorder in conditions classified elsewhere**

Organic psychosis:

Infective NOS

posttraumatic NOS

transient NOS

Psycho-organic syndrome

**294 Persistent mental disorders due to conditions classified elsewhere**

**Includes:** organic psychotic brain syndromes (chronic), not elsewhere classified

**294.0 Amnestic disorder in conditions classified elsewhere**

Korsakoff's psychosis or syndrome (nonalcoholic)

Code first underlying condition

**Excludes:** alcoholic:

Amnestic syndrome (291.1)

Korsakoff's psychosis (291.1)

**294.1 Dementia in conditions classified elsewhere**

Dementia of the Alzheimer's type

Code first any underlying physical condition, as:

Alzheimer's disease (331.0)

cerebral lipidoses (330.1)

dementia with Lewy bodies (331.82)

dementia with Parkinsonism (331.82)

epilepsy (345.0-345.9)

frontal dementia (331.19)

frontotemporal dementia (331.19)

general paresis [syphilis] (094.1)

hepatolenticular degeneration (275.1)

Huntington's chorea (333.4)

Jakob-Creutzfeldt disease (046.11 -046.19)

multiple sclerosis (340)

Pick's disease of the brain (331.11)

polyarteritis nodosa (446.0)

syphilis (094.1)

**Excludes:** dementia: arteriosclerotic (290.40- 290.43) presenile (290.10-290.13) senile (290.0)  
epileptic psychosis NOS (294.8)

**294.10 Dementia in conditions classified elsewhere without behavioral disturbance**

Dementia in conditions classified elsewhere NOS

**294.11 Dementia in conditions classified elsewhere with behavioral disturbance**

Aggressive behavior

Combative behavior

Violent behavior

Wandering off

Use additional code, where applicable, to identify:

Wandering in conditions classified elsewhere (V40.31)

**294.8 Other persistent mental disorders due to conditions classified elsewhere**

Amnestic disorder NOS

Epileptic psychosis NOS

Mixed paranoid and affective organic psychotic states

Use additional code for associated epilepsy (345.0-345.9)

**Excludes:** mild memory disturbances, not amounting to dementia (310.8)

**294.9 Unspecified persistent mental disorders due to conditions classified elsewhere**

Cognitive disorder NOS

Organic psychosis (chronic)

**OTHER PSYCHOSES (295-299)**

Use additional code to identify any associated physical disease, injury, or condition affecting the brain with psychoses classifiable to 295-298

**295 Schizophrenic disorders.**

Personality disorders characterized by multiple mental and behavioral irregularities.

**Includes:** schizophrenia of the types described in 295.0-295.9 occurring in children

**Excludes:** childhood type schizophrenia (299.9)

infantile autism (299.0)

*The following fifth-digit subclassification is for use with category 295:*

*0 unspecified*

*1 subchronic*

*2 chronic*

*3 subchronic with acute exacerbation*

*4 chronic with acute exacerbation 5 in remission*

**295.0 Simple type**

Schizophrenia simplex

**Excludes:** latent schizophrenia (295.5)

**295.1 Disorganized type**

Hebephrenia  
Hebephrenic type schizophrenia

**295.2 Catatonic type**

Catatonic (schizophrenia):  
agitation  
excitation  
excited type  
stupor  
withdrawn type  
Schizophrenic:  
catalepsy  
catatonia  
flexibilitas cerea

**295.3 Paranoid type**

Paraphrenic schizophrenia  
**Excludes:** involuntal paranoid state (297.2)  
paranoia (297.1)  
paraphrenia (297.2)

**295.4 Schizophreniform disorder**

Oneirophrenia  
Schizophreniform:  
Attack  
psychosis, confusional type  
**Excludes:** acute forms of schizophrenia of: catatonic type (295.2)  
hebephrenic type (295.1)  
paranoid type (295.3)  
simple type (295.0)  
undifferentiated type (295.8)

**295.5 Latent schizophrenia**

Latent schizophrenic reaction  
Schizophrenia:  
borderline  
incipient  
prepsychotic  
prodromal  
pseudoneurotic  
pseudopsychopathic  
**Excludes:** schizoid personality (301.20-301.22)

**295.6 Residual type**

Chronic undifferentiated schizophrenia  
Restzustand (schizophrenic) \  
Schizophrenic residual state



**295.7 Schizoaffective disorder**

Cyclic schizophrenia  
Mixed schizophrenic and affective psychosis  
Schizo-affective psychosis  
Schizophreniform psychosis, affective type

**295.8 Other specified types of schizophrenia**

Acute (undifferentiated) schizophrenia  
Atypical schizophrenia  
Cenesthopathic schizophrenia  
**Excludes:** infantile autism (299.0)

**295.9 Unspecified schizophrenia**

Schizophrenia:  
NOS  
Mixed NOS  
undifferentiated NOS  
Schizophrenic reaction NOS  
Schizophreniform psychosis NOS

**296 Episodic mood disorders**

**Includes:** episodic affective disorders  
**Excludes:** neurotic depression (300.4)  
reactive depressive psychosis (298.0)  
reactive excitation (298.1)

*The following fifth-digit subclassification is for use with categories 296.0-296.6:  
0 unspecified 1 mild 2 moderate 3 severe, without mention of psychotic behavior  
4 severe, specified as with psychotic behavior 5 in partial or unspecified  
remission 6 in full remission*

**296.0 Bipolar I disorder, single manic episode**

Manic depressive disorder, characterized by moods that swing between periods of exaggerated euphoria, irritability, or both (manic) and episodes of depression.

Hypomania (mild) NOS, single episode or unspecified

Hypomanic psychosis, single episode or unspecified

Mania (monopolar) NOS single episode or unspecified

Hypomanic, single episode or unspecified

Manic, single episode or unspecified

**Excludes:** circular type, if there was a previous attack of depression (296.4)

**296.1 Manic disorder, recurrent episode**

Any condition classifiable to 296.0, stated to be recurrent **Excludes:** circular type, if there was a previous attack of depression (296.4)

**296.2 Major depressive disorder, single episode**

Depressive psychosis, single episode or unspecified  
Endogenous depression, single episode or unspecified  
Involutional melancholia, single episode or unspecified  
Manic-depressive psychosis or reaction, depressed type, single episode or unspecified  
Monopolar depression, single episode or unspecified  
Psychotic depression, single episode or unspecified

**Excludes:** circular type, if previous attack was of manic type (296.5)  
depression NOS (311)  
reactive depression (neurotic) (300.4)  
psychotic (298.0)

**296.3 Major depressive disorder, recurrent episode**

Any condition classifiable to 296.2, stated to be recurrent

**Excludes:** circular type, if previous attack was of manic type (296.5)  
depression NOS (311)  
reactive depression (neurotic) (300.4)  
psychotic (298.0)

**296.4 Bipolar I disorder, most recent episode (or current) manic**

Bipolar disorder, now manic  
Manic-depressive psychosis, circular type but currently manic  
**Excludes:** brief compensatory or rebound mood swings (296.99)

**296.5 Bipolar I disorder, most recent episode (or current) depressed**

Bipolar disorder, now depressed  
Manic-depressive psychosis, circular type but currently depressed  
**Excludes:** brief compensatory or rebound mood swings (296.99)

**296.6 Bipolar I disorder, most recent episode (or current) mixed**

Manic-depressive psychosis, circular type, mixed

**296.7 Bipolar I disorder, most recent episode (or current) unspecified**

Atypical bipolar affective disorder NOS  
Manic-depressive psychosis, circular type, current condition not specified as either manic or depressive

**296.8 Other and unspecified bipolar disorders**

**296.80 Bipolar disorder, unspecified**

Bipolar disorder NOS  
Manic-depressive:  
reaction NOS  
syndrome NOS

**296.81 Atypical manic disorder**

**296.82 Atypical depressive disorder**

**296.89 Other**

Bipolar II disorder  
Manic-depressive psychosis, mixed type

**296.9 Other and unspecified episodic mood disorder**

**Excludes:** psychogenic affective psychoses (298.0-298.8)

**296.90 Unspecified episodic mood disorder**

Affective psychosis NOS  
Melancholia NOS  
Mood disorder, NOS

**296.99 Other specified episodic mood disorder**

Mood swings:  
brief compensatory  
rebound

**297 Delusional disorders**

**Includes:** paranoid disorders

**Excludes:** acute paranoid reaction (298.3)  
alcoholic jealousy or paranoid state (291.5)  
paranoid schizophrenia (295.3)

**297.0 Paranoid state, simple**

**297.1 Delusional disorder**

Chronic paranoid psychosis  
Sander's disease  
Systematized delusions  
**Excludes:** paranoid personality disorder (301.0)

**297.2 Paraphrenia**

Involitional paranoid state  
Paraphrenia (involitional)  
Late paraphrenia

**297.3 Shared psychotic disorder**

Folie à deux  
Induced psychosis or paranoid disorder

**297.8 Other specified paranoid states**

Paranoia querulans  
Sensitiver Beziehungswahn  
**Excludes:** acute paranoid reaction or state (298.3)  
senile paranoid state (290.20)

**297.9 Unspecified paranoid state**

Paranoid: disorder NOS  
psychosis NOS  
reaction NOS  
state NOS

**298 Other nonorganic psychoses**

**Includes:** psychotic conditions due to or provoked by:  
emotional stress  
environmental factors as major part of etiology

**298.0 Depressive type psychosis**

Psychogenic depressive psychosis  
Psychotic reactive depression  
Reactive depressive psychosis  
**Excludes:** manic-depressive psychosis, depressed type (296.2- 296.3)  
neurotic depression (300.4), reactive depression NOS (300.4)

**298.1 Excitative type psychosis**

Acute hysterical psychosis  
Psychogenic excitation  
Reactive excitation  
**Excludes:** manic-depressive psychosis, manic type (296.0-296.1)

**298.2 Reactive confusion**

Psychogenic confusion  
Psychogenic twilight state  
**Excludes:** acute confusional state (293.0)

**298.3 Acute paranoid reaction**

Acute psychogenic paranoid psychosis  
Bouffée délirante  
**Excludes:** paranoid states (297.0-297.9)

**298.4 Psychogenic paranoid psychosis**

Protracted reactive paranoid psychosis

**298.8 Other and unspecified reactive psychosis**

Brief psychotic disorder  
Brief reactive psychosis NOS  
Hysterical psychosis  
Psychogenic psychosis NOS  
Psychogenic stupor  
**Excludes:** acute hysterical psychosis (298.1)

**298.9 Unspecified psychosis**

Atypical psychosis  
Psychosis NOS  
Psychotic disorder NOS

**299 Pervasive developmental disorders**

**Excludes:** adult type psychoses occurring in childhood, as:  
affective disorders (296.0-296.9)  
manic-depressive disorders (296.0-296.9)  
schizophrenia (295.0-295.9)

*The following fifth-digit subclassification is for use with category 299:*

*0 current or active state*

*1 residual state*

**299.0 Autistic disorder**

Childhood autism

Infantile psychosis

Kanner's syndrome

**Excludes:** disintegrative psychosis (299.1)

Heller's syndrome (299.1)

schizophrenic syndrome of childhood (299.9)

**299.1 Childhood disintegrative disorders**

Heller's syndrome

Use additional code to identify any associated neurological disorder

**Excludes:** infantile autism (299.0)

schizophrenic syndrome of childhood (299.9)

**299.8 Other specified pervasive developmental disorders**

Asperger's disorder

Atypical childhood psychosis

Borderline psychosis of childhood

**Excludes:** simple stereotypes without psychotic disturbance (307.3)

**299.9 Unspecified pervasive developmental disorder**

Child psychosis NOS

Pervasive developmental disorder NOS

Schizophrenia, childhood type NOS

Schizophrenic syndrome of childhood NOS

**Excludes:** schizophrenia of adult type occurring in childhood (295.0-295.9)

**NEUROTIC DISORDERS, PERSONALITY DISORDERS, AND OTHER  
NONPSYCHOTIC MENTAL DISORDERS (300-316) 300**

**Anxiety, dissociative and somatoform disorders**

**300.0 Anxiety states**

**Excludes:** anxiety in:

acute stress reaction (308.0)

transient adjustment reaction (309.24)

neurasthenia (300.5)

psychophysiological disorders (306.0-306.9)

separation anxiety (309.21)

**300.00 Anxiety state, unspecified**

Anxiety:  
neurosis  
reaction state (neurotic)  
Atypical anxiety disorder

**300.01 Panic disorder without agoraphobia**

Panic:  
attack  
state

**Excludes:** panic disorder with agoraphobia (300.21)

**300.02 Generalized anxiety disorder**

**300.09 Other**

**300.1 Dissociative, conversion and factitious disorders**

**Excludes:**

adjustment reaction (309.0-309.9)  
anorexia nervosa (307.1)  
gross stress reaction (308.0-308.9)  
hysterical personality (301.50-301.59)  
psychophysiologic disorders (306.0-306.9)

**300.10 Hysteria, unspecified**

**300.11 Conversion disorder**

Astasia-abasia, hysterical  
Conversion hysteria or reaction  
Hysterical:  
blindness  
deafness  
paralysis

**300.12 Dissociative amnesia**

Hysterical amnesia

**300.13 Dissociative fugue**

Hysterical fugue

**300.14 Dissociative identity disorder**

**Item 5-2** Anxiety is also known as generalized disorder and is evidenced by persistent, excessive and unrealistic worry about everyday things. Dissociative disorders are characterized by a persistent disruption in the integration of memory, consciousness, or identity and a lack of mental connectedness to events. Somataform disorders are characterized by unusual physical symptoms in the absence of any known physical pathology and may lead to unnecessary medical treatments.

**300.15 Dissociative disorder or reaction, unspecified**

**300.16 Factitious disorder with predominantly psychological signs and symptoms**

Compensation neurosis  
Ganser's syndrome, hysterical

**300.19 Other and unspecified factitious illness**

Factitious illness (with combined psychological and psychological and physical signs and symptoms) (with predominantly physical signs and symptoms) NOS

**Excludes:** multiple operations or hospital addiction syndrome (301.51)

**300.2 Phobic disorders**

Irrational fear with avoidance of the feared subject, activity, or situation.  
Divided into 3 types: Specific phobias, social phobias and agoraphobia.

**Excludes:** anxiety state not associated with a specific situation or object (300.00-300.09)  
obsessional phobias (300.3)

**300.20 Phobia, unspecified**

Anxiety-hysteria NOS  
Phobia NOS

**300.21 Agoraphobia with panic-disorder**

Fear of:

open spaces with panic attacks  
streets with panic attacks  
travel with panic attacks  
Panic disorder with agoraphobia

**Excludes:** agoraphobia without panic disorder (300.22)  
Panic disorder without agoraphobia (300.01)

**300.22 Agoraphobia without mention of panic attacks**

Any condition classifiable to 300.21 without mention of panic attacks

**300.23 Social phobia**

Fear of:

eating in public  
public speaking  
washing in public

**300.29 Other isolated or specific phobias**

Acrophobia

Fear of heights

Animal phobias

Claustrophobia

Fear of closed spaces

Fear of crowds

**300.3 Obsessive-compulsive disorders (OCD)**

Anancastic neurosis

Compulsive neurosis Obsessional phobia [any]

**Excludes:** obsessive-compulsive symptoms occurring in: endogenous depression (296.2-296.3)  
organic states (e.g., encephalitis)  
schizophrenia (295.0-295.9)

**300.4 Dysthymic disorder**

Anxiety depression  
Depression with anxiety  
Depressive reaction  
Neurotic depressive state  
Reactive depression

**Excludes:** adjustment reaction with depressive symptoms (309.0-309.1)  
depression NOS (311)  
manic-depressive psychosis, depressed type (296.2-296.3)  
reactive depressive psychosis (298.0)

**300.5 Neurasthenia**

Fatigue neurosis  
Nervous debility  
Psychogenic:  
asthenia  
general fatigue  
Use additional code to identify any associated physical disorder

**Excludes:** anxiety state (300.00-300.09)  
neurotic depression (300.4)  
psychophysiological disorders (306.0-306.9)  
specific nonpsychotic mental disorders following organic brain damage (310.0-310.9)

**300.6 Depersonalization syndrome**

Derealization (neurotic)  
Neurotic state with depersonalization episode

**Excludes:** depersonalization associated with:  
anxiety (300.00- 300.09)  
depression (300.4)  
manic-depressive disorder or psychosis (296.0-296.9)  
schizophrenia (295.0-295.9)

**300.7 Hypochondriasis**

Hypochondriac  
Body dysmorphic disorder

**Excludes:** hypochondriasis in:  
hysteria (300.10-300.19)  
manicdepressive psychosis, depressed type (296.2-296.3)  
neurasthenia (300.5)  
obsessional disorder (300.3)  
schizophrenia (295.0-295.9)

**300.8 Somatoform disorders**

**300.81 Somatization disorder**

Briquet's disorder  
Severe somatoform disorder

**300.82 Undifferentiated somatization disorder**

Atypical somatoform disorder  
Somatoform disorder NOS



**300.89 Other somatoform disorders**

Occupational neurosis, including writers' cramp  
Psychasthenia  
Psychasthenic neurosis

**300.9 Unspecified nonpsychotic mental disorder**

Psychoneurosis NOS

**301 Personality disorders:** Long-term patterns of thoughts and behaviors causing serious problems with relationships and work

**Includes:** character neurosis

Use additional code to identify any associated neurosis or psychosis, or physical condition

**Excludes:** nonpsychotic personality disorder associated with organic brain syndromes (310.0-310.9)

**301.0 Paranoid personality disorder**

Fanatic personality  
Paranoid personality (disorder)  
Paranoid traits  
**Excludes:** acute paranoid reaction (298.3)  
alcoholic paranoia (291.5)  
paranoid schizophrenia (295.3)  
paranoid states (297.0-297.9)

**301.1 Affective personality disorder**

**Excludes:** affective psychotic disorders (296.0-296.9)  
neurasthenia (300.5)  
neurotic depression (300.4)

**301.10 Affective personality disorder, unspecified**

**301.11 Chronic hypomanic personality disorder**

Chronic hypomanic disorder  
Hypomanic personality

**301.12 Chronic depressive personality disorder**

Chronic depressive disorder  
Depressive character or personality

**301.13 Cyclothymic disorder**

Cycloid personality  
Cyclothymia  
Cyclothymic personality

**301.2 Schizoid personality disorder**

**Excludes:** schizophrenia (295.0-295.9)

**301.20 Schizoid personality disorder, unspecified**

**301.21 Introverted personality**

**301.22 Schizotypal personality**

**301.3 Explosive personality disorder**

Aggressive:  
personality  
reaction

Aggressiveness  
Emotional instability (excessive)  
Pathological emotionality Quarrelsomeness

**Excludes:** dyssocial personality (301.7) hysterical neurosis (300.10-300.19)

**301.4 Obsessive-compulsive personality disorder**

Anancastic personality  
Obsessional personality

**Excludes:** obsessive-compulsive disorder (300.3)  
phobic state (300.20-300.29)

**301.5 Histrionic personality disorder**

**Excludes:** hysterical neurosis (300.10-300.19).

**301.50 Histrionic personality disorder, unspecified**

Hysterical personality NOS

**301.51 Chronic factitious illness with physical symptoms**

Hospital addiction syndrome  
Multiple operations syndrome  
Munchausen syndrome

**301.59 Other histrionic personality disorder**

Personality:  
emotionally unstable  
labile  
Psychoinfantile

**301.6 Dependent personality disorder**

Asthenic personality  
Inadequate personality  
Passive personality  
**Excludes:** neurasthenia (300.5)  
passive-aggressive personality (301.84)

**301.7 Antisocial personality disorder**

Amoral personality  
Asocial personality  
Dyssocial personality  
Personality disorder with predominantly sociopathic or asocial manifestation  
**Excludes:** disturbance of conduct without specifiable personality  
disorder (312.0-312.9)  
explosive personality (301.3)

**301.8 Other personality disorders**

**301.81 Narcissistic personality disorder**

**301.82 Avoidant personality disorder**

**301.83 Borderline personality disorder**

**301.84 Passive-aggressive personality disorder**

**301.89 Other**

Personality:

eccentric

"haltlose" type

immature

masochistic

psychoneurotic

**Excludes:** psychoinfantile personality (301.59)

**301.9 Unspecified personality disorder**

Pathological personality NOS

Personality disorder NOS

Psychopathic:

constitutional state

personality (disorder)

**302 Sexual and gender identity disorders**

**Excludes:** sexual disorder manifest in:

organic brain syndrome (290.0-294.9, 310.0-310.9)

psychosis (295.0-298.9)

**302.0 Ego-dystonic sexual orientation**

Ego-dystonic lesbianism

Sexual orientation conflict disorder

**Excludes:** homosexual pedophilia (302.2)

**302.1 Zoophilia**

Bestiality

**302.2 Pedophilia**

**302.3 Transvestism fetishism**

**Excludes:** trans-sexualism (302.5)

**302.4 Exhibitionism**

**302.5 Trans-sexualism**

Sex reassignment surgery status

**Excludes:** transvestism (302.3)

**302.50 With unspecified sexual history**

**302.51 With asexual history**

**302.52 With homosexual history**

**302.53 With heterosexual history**

**302.6 Gender identity disorder in children**

Check age: Adolescents and adults separately classified under 302.85

Feminism in boys

Gender identity disorder NOS

**Excludes:** gender identity disorder in adult (302.85)

trans-sexualism (302.50-302.53)

transvestism (302.3)

**302.7 Psychosexual dysfunction**

**Excludes:** decreased sexual desire NOS (799.81)

impotence of organic origin (607.84)

normal transient symptoms from ruptured hymen transient or occasional failures of erection due to fatigue, anxiety, alcohol, or drugs,

**302.70 Psychosexual dysfunction, unspecified**

Sexual dysfunction NOS

**302.71 Hyperactive sexual desire disorder**

**Excludes:** decreased sexual desire NOS (799.81)

**302.72 With inhibited sexual excitement**

Female sexual arousal disorder

Frigidity

Impotence

Male erectile disorder

**302.73 Female orgasmic disorder**

**302.74 Male orgasmic disorder**

**302.75 Premature ejaculation**

**302.76 Dyspareunia, psychogenic**

**302.79 With other specified psychosexual dysfunctions**

Sexual aversion disorder

**302.8 Other specified psychosexual disorders**

**302.81 Fetishism**

**302.82 Voyeurism**

**302.83 Sexual masochism**

**302.84 Sexual sadism**

**302.85 Gender identity disorder of adolescent or adults**

**Use additional code to identify sex reassignment surgery status (302.5)**

**Excludes:** gender identity disorder NOS (302.6)

gender identity disorder in children (302.6)

**302.89 Other**

Frotteurism  
Nymphomania  
Satyriasis

**302.9 Unspecified psychosexual disorder**

Paraphilia NOS  
Pathologic sexuality NOS  
Sexual deviation NOS  
Sexual disorder NOS

**303 Alcohol dependence syndrome**

Use additional code to identify any associated condition, as:  
alcoholic psychoses (291.0-291.9)  
drug dependence (304.0-304.9)  
physical complications of alcohol, such as:  
cerebral degeneration (331.7)  
cirrhosis of liver (571.2)  
epilepsy (345.0-345.9)  
gastritis (535.3)  
hepatitis (571.1)  
liver damage NOS (571.3)  
**Excludes:** *drunkenness NOS (305.0)*

*The following fifth-digit subclassification is for use with category 303:  
0 unspecified 1 continuous 2 episodic 3 in remission*

**303.0 Acute alcoholic intoxication**

Acute drunkenness in alcoholism

**303.9 Other and unspecified alcohol dependence**

Chronic alcoholism  
Dipsomania

**304 Drug dependence**

For some “dependence” codes there is a corresponding “abuse” code. There is a point at which drug use crosses from “abuse” to “dependence.” Check documentation or query provider for patient status.

**Excludes:** nondependent abuse of drugs (305.1-305.9)

*The following fifth-digit subclassification is for use with category 304:  
0 unspecified 1 continuous 2 episodic 3 in remission*

**304.0 Opioid type dependence**

Heroin,  
Meperidine,  
Methadone,  
Morphine,  
Opium, Opium alkaloids and derivatives  
Synthetics with morphine-like effects

**304.1 Sedative, hypnotic or anxiolytic dependence**

Barbiturates

Nonbarbiturate sedatives and tranquilizers with a similar effect:

chlordiazepoxide

diazepam

glutethimide

meprobamate

methaqualone

**304.2 Cocaine dependence**

Coca leaves and derivatives

**304.3 Cannabis dependence**

Code 305.2 is for abuse of cannabis.

Hashish

Hemp

Marijuana

**304.4 Amphetamine and other psychostimulant dependence**

Methylphenidate

Phenmetrazine

**304.5 Hallucinogen dependence**

Dimethyltryptamine [DMT]

Lysergic acid diethylamide [LSD] and derivatives

Mescaline

Psilocybin

**304.6 Other specified drug dependence**

Absinthe addiction

Glue sniffing

Inhalant dependency

Phencyclidine dependence

**Excludes:** tobacco dependence (305.1)

**304.7 Combinations of opioid type drug with any other**

**304.8 Combinations of drug dependence excluding opioid type drug**

**304.9 Unspecified drug dependence**

Drug addiction NOS

Drug dependence NOS

**305 Nondependent abuse of drugs**

**Note:** Includes cases where a person, for whom no other diagnosis is possible, has come under medical care because of the maladaptive effect of a drug on which he is not dependent and that he has taken on his own initiative (self-medicating) to the detriment of his health or social functioning.

**Excludes:** alcohol dependence syndrome (303.0-303.9)

drug dependence (304.0-304.9)  
drug withdrawal syndrome (292.0)  
poisoning by drugs or medicinal substances (960.0-979.9)

**The following fifth-digit subclassification is for use with codes 305.0, 305.2-305.9**  
**0 unspecified 1 continuous 2 episodic 3 in remission**

**305.0 Alcohol abuse**

Drunkenness NOS  
Excessive drinking of alcohol NOS  
"Hangover"(alcohol)  
Inebriety NOS  
**Excludes:** acute alcohol intoxication in alcoholism  
(303.0)  
alcoholic psychoses (291.0-291.9)

**305.1 Tobacco use disorder**

Tobacco dependence  
**Excludes:** history of tobacco use (V15.82)  
Smoking complicating pregnancy (649.0)  
tobacco disorder complicating pregnancy (649.0)

**305.2 Cannabis abuse**

Code 304.3 is cannabis dependence

**305.3 Hallucinogen abuse**

Acute intoxication from hallucinogens ["bad trips"]  
LSD reaction

**305.4 Sedative, hypnotic or anxiolytic abuse**

**305.5 Opioid abuse**

**305.6 Cocaine abuse**

**305.7 Amphetamine or related acting sympathomimetic abuse**

**305.8 Antidepressant type abuse**

**305.9 Other, mixed, or unspecified drug abuse**

Caffeine intoxication  
Inhalant abuse  
"Laxative habit"  
Misuse of drugs NOS  
Nonprescribed use of drugs or patent medicinals  
Phencyclidine abuse

**306. Physiological malfunction arising from mental factors**

**Includes:** psychogenic  
physical symptoms not involving tissue damage  
physiological manifestations not involving tissue damage

**Excludes:** hysteria (300.11-300.19)  
physical symptoms secondary to a psychiatric disorder classified elsewhere  
psychic factors associated with physical conditions involving tissue damage  
classified elsewhere (316)  
specific non-psychotic mental disorders following organic brain damage  
(310.0-310.9)

### **306.0 Musculoskeletal**

Psychogenic paralysis

Psychogenic torticollis

**Excludes:** Gilles de la Tourette's syndrome (307.23)

paralysis as hysterical or conversion reaction (300.11)

tics (307.20-307.22)

### **306.1 Respiratory**

Psychogenic:

air hunger

cough hiccup

hyperventilation

yawning

**Excludes:** psychogenic asthma (316 and 493.9)

### **306.2 Cardiovascular**

Cardiac neurosis

Neurocirculatory asthenia

Psychogenic cardiovascular disorder

**Excludes:** psychogenic paroxysmal tachycardia (316 and 427.2)

### **306.3 Skin**

Psychogenic pruritus

**Excludes:** psychogenic:

alopecia (316 and 704.00)

dermatitis (316 and 692.9)

eczema (316 and 691.8 or 692.9)

urticaria (316 and 708.0-708.9)

### **306.4 Gastrointestinal**

Aerophagy

Cyclical vomiting, psychogenic

Diarrhea, psychogenic

Nervous gastritis

Psychogenic dyspepsia

**Excludes:**

Cyclical vomiting NOS (536.2)

Associated with migraine ((346.2)

Globus hystericus (300.11)

Mucous colitis (316 and 532.0-532.9)

Psychogenic:

Cardiospasm (316 and 530.0)



Duodenal ulcer (316 and 532.0-532.9)  
Gastric ulcer (316 and 531.0-531.9)  
Peptic ulcer (NOS (316 and 533.0-533.9)  
Vomiting NOS (307.54)

### **306.5 Genitourinary**

**Excludes:**

enuresis, psychogenic (307.6)  
frigidity(302.72)  
impotence (302.72)  
psychogenic dyspareunia (302.76)

### **306.50 Psychogenic genitourinary malfunction, unspecified**

### **306.51 Psychogenic vaginismus**

### **306.52 Psychogenic dysmenorrhea**

### **306.53 Psychogenic dysuria**

### **306.59 Other**

### **306.6 Endocrine**

### **306.7 Organs of special sense**

**Excludes:**

hysterical blindness or deafness (300.11)  
psychophysical visual disturbances (368.16)

### **306.8 Other specified psychophysiological malfunction**

Bruxism

Sleep-related Bruxism, 327.53.

Teeth grinding

### **306.9 Unspecified psychophysiological malfunction**

Psychophysiologic disorder NOS

Psychosomatic disorder NOS

### **307 Special symptoms or syndromes, not elsewhere classified**

**Note:** This category is intended for use if the psychopathology is manifested by a single specific symptom or group of symptoms which is not part of an organic illness or other mental disorder classifiable elsewhere.

**Excludes:** those due to mental disorders classified elsewhere those of organic origin

**307.0 Adult onset fluency disorder**

**Excludes:** childhood onset fluency disorder (315.35)  
dysphasia (784.59)  
fluency disorder) due to late effect of cerebrovascular accident (438.14)  
fluency disorder in conditions classified elsewhere (784.52)  
lispings or lalling (307.9)  
retarded development of speech (315.31 – 315.39)26

**307.1 Anorexia nervosa**

**Excludes:**  
eating disturbance NOS (307.50)  
feeding problem (783.3) of nonorganic origin (307.59)  
loss of appetite (783.0)  
of nonorganic origin (307.59)

**307.2 Tics**

**Excludes:** nail-biting or thumb-sucking (307.9)  
stereotypes occurring in isolation (307.3)  
tics of organic origin (333.3)

**307.20 Tic disorder, unspecified**

Tic disorder NOS

**307.21 Transient tic disorder**

**307.22 Chronic motor or vocal tic disorder**

**307.23 Tourette's disorder**

Motor-verbal tic disorder

**307.3 Stereotyped movement disorder**

Body-rocking  
Head banging  
Spasmus nutans  
Stereotypes NOS

**Excludes:** tics (307.20-307.23)  
of organic origin (333.3)

**307.4 Specific disorders of sleep of nonorganic origin**

**Excludes:** narcolepsy (347.00 – 347.11)  
organic hypersomnia (327.10-327.19)  
organic insomnia (327.00-327.09)  
those of unspecified cause (780.50-780.59)

**307.40 Nonorganic sleep disorder, unspecified**

**307.41 Transient disorder of initiating or maintaining sleep**

Adjustment insomnia  
Hyposomnia associated with intermittent emotional reactions or conflicts  
Insomnia associated with intermittent emotional reactions or conflicts  
Sleeplessness associated with intermittent emotional reactions or conflicts

**307.42 Persistent disorder of initiating or maintaining sleep**

Hyposomnia, insomnia, or sleeplessness associated with:  
anxiety  
conditioned arousal  
depression (major) (minor)  
psychosis  
Idiopathic insomnia  
Paradoxical insomnia  
Primary insomnia  
Psychophysiological insomnia

**307.43 Transient disorder of initiating or maintaining wakefulness**

Hypersomnia associated with acute or intermittent emotional reactions or conflicts

**307.44 Persistent disorder of initiating or maintaining wakefulness**

Hypersomnia associated with depression  
(major) (minor)  
Insufficient sleep syndrome  
Primary hypersomnia  
**Excludes** sleep deprivation (V69.4)

**307.45 Circadian rhythm sleep disorder of nonorganic origin**

**307.46 Sleep arousal disorder**

Night terror disorder  
Night terrors Sleep terror disorder  
Sleepwalking  
Somnambulism

**307.47 Other dysfunctions of sleep stages or arousal from sleep**

Nightmare disorder  
Nightmares: NOS REMsleep  
type Sleep  
drunkenness

**307.48 Repetitive intrusions of sleep**

Repetitive intrusion of sleep with:  
atypical polysomnographic features  
environmental disturbances  
repeated REM-sleep interruptions

**307.49 Other**

"Short-sleeper"  
Subjective insomnia complaint

### **307.5 Other and unspecified disorders of Eating**

#### **Excludes:**

anorexia:

nervosa (307.1)  
of unspecified cause (783.0) \  
overeating, of unspecified cause  
(783.6) vomiting: NOS  
(787.03) cyclical  
(536.2) associated with migraine  
(346.2) psychogenic (306.4)

### **307.50 Eating disorder, unspecified**

Eating disorder NOS

### **307.51 Bulimia nervosa**

Overeating of nonorganic origin

### **307.52 Pica**

Perverted appetite of nonorganic origin

Craving and eating substances such as paint, clay or dirt to replace a nutritional deficit in the body

### **307.53 Rumination disorder**

Regurgitation, of nonorganic origin, of food  
with reswallowing

**Excludes:** obsessional rumination (300.3)

### **307.54 Psychogenic vomiting**

### **307.59 Other**

Feeding disorder of infancy or early childhood of nonorganic origin

Infantile feeding disturbances of nonorganic origin

Loss of appetite of nonorganic origin

### **307.6 Enuresis**

Enuresis (primary) (secondary) of nonorganic origin

**Excludes:** enuresis of unspecified cause (788.3)

### **307.7 Encopresis:**

Encopresis (continuous) (discontinuous) of nonorganic origin

**Excludes:** encopresis of unspecified cause (787.60 – 787.63)

### **307.8 Pain disorders related to psychological factors**

### **307.80 Psychogenic pain, site unspecified**

### **307.81 Tension headache**

**Excludes:** headache:

migraine (346.0-346.9)

NOS (784.0)

syndromes (339.00-339.89)

tension type(339.10-339.12)

**307.89 Other**

Code first to site of pain

**Excludes:** pains disorder\ exclusively attributed to psychological factors (307.80)  
Psychogenic pain (307.80)

**307.9 Other and unspecified special symptoms or syndromes, not elsewhere classified**

Communication disorder NOS

Hair plucking

Lalling

Lisping

Masturbation

Nail-biting

Thumb-sucking

**308 Acute reaction to stress**

**Includes:** catastrophic stress  
combat and operational stress reaction  
combat fatigue  
gross stress reaction (acute)  
transient disorders in response to exceptional physical or mental stress which usually subside within hours or days

**Excludes:** adjustment reaction or disorder (309.0-309.9) chronic stress reaction (309.1-309.9)

**308.0 Predominant disturbance of emotions**

Anxiety as acute reaction to exceptional [gross] stress

Emotional crisis as acute reaction to exceptional [gross] stress

Panic state as acute reaction to exceptional [gross] stress

**308.1 Predominant disturbance of consciousness**

Fugues as acute reaction to exceptional [gross] stress

**308.2 Predominant psychomotor disturbance**

Agitation states as acute reaction to exceptional [gross] stress

Stupor as acute reaction to exceptional [gross] stress

**308.3 Other acute reactions to stress**

Acute situational disturbance

Acute stress disorder

**Excludes:** prolonged posttraumatic emotional disturbance (309.81)

**308.4 Mixed disorders as reaction to stress**

**308.9 Unspecified acute reaction to stress**

**309 Adjustment reaction**

**Includes:** adjustment disorders

Reaction (adjustment) to chronic stress

**Excludes:** acute reaction to major stress (308.0- 308.9)

neurotic disorders (300.0-300.9)

**309.0 Adjustment disorder with depressed mood**

Grief reaction

**Excludes:** affective psychoses (296.0-296.9)  
neurotic depression (300.4)  
prolonged depressive reaction (309.1)  
psychogenic depressive psychosis (298.0)

**309.1 Prolonged depressive reaction**

**Excludes:** affective psychoses (296.0-296.9)  
brief depressive reaction (309.0)  
neurotic depression (300.4)  
psychogenic depressive psychosis (298.0)

**309.2 With predominant disturbance of other emotions**

**309.21 Separation anxiety disorder**

**309.22 Emancipation disorder of adolescence and early adult life**

**309.23 Specific academic or work inhibition**

**309.24 Adjustment disorder with anxiety**

**309.28 Adjustment disorder with mixed anxiety and depressed mood**

Adjustment reaction with anxiety and depression

**309.29 Other**

Culture shock

**309.3 Adjustment disorder with disturbance of conduct**

Conduct disturbance as adjustment reaction

Destructiveness as adjustment reaction

**Excludes:** destructiveness in child (312.9)  
disturbance of conduct NOS (312.9)  
dyssocial behavior without manifest psychiatric disorder (V71.01- V71.02)  
personality disorder with predominantly sociopathic or asocial manifestations (301.7)

**309.4 Adjustment disorder with mixed disturbance of emotions and conduct**

**309.8 Other specified adjustment reactions**

**309.81 Posttraumatic stress disorder**

Chronic posttraumatic stress disorder

Concentration camp syndrome

Posttraumatic stress disorder NOS

Post-Traumatic Stress Disorder (PTSD)

**Excludes:** posttraumatic brain syndrome:

nonpsychotic (310.2)

psychotic (293.0-293.9)

Acute stress disorder (308.3)

**309.82 Adjustment reaction with physical symptoms**

**309.83 Adjustment reaction with withdrawal**

Elective mutism as adjustment reaction  
Hospitalism (in children) NOS

**309.89 Other**

**309.9 Unspecified adjustment reaction**

Adaptation reaction NOS  
Adjustment reaction NOS

**310 Specific nonpsychotic mental disorders due to organic brain damage**

**Excludes:** neuroses, personality disorders, or other nonpsychotic conditions occurring in a form similar to that seen with functional disorders but in association with a physical condition (300.0-300.9, 301.0-301.9)

**310.0 Frontal lobe syndrome**

Lobotomy syndrome  
Postleucotomy syndrome [state]  
**Excludes:** *postcontusion syndrome (310.2)*

**310.1 Personality change due to conditions classified elsewhere**

Cognitive or personality change of other type, of nonpsychotic severity  
Organic psychosyndrome of nonpsychotic severity  
Presbyphrenia NOS  
Senility with mental changes of nonpsychotic severity  
**Excludes:** mild cognitive impairment (331.83)  
Post concussion syndrome (310.2)  
Signs and symptoms involving emotional state (799.21-799.29)

**310.2 Postconcussion syndrome**

Postcontusion syndrome or encephalopathy  
Posttraumatic brain syndrome, nonpsychotic  
Status postcommotio cerebri  
**Use additional code to identify associated Post-traumatic headache, if applicable (339.20-339.22)**

**Excludes:** frontal lobe syndrome (310.0) postencephalitic syndrome (310.8) any organic psychotic conditions following head injury (293.0-294.0).

**310.8 Other specified nonpsychotic mental disorders following organic brain damage**

**310.81 Pseudobulbar affect**

Involuntary emotional expression disorder  
Code first underlying cause, if known, such as:  
Amyotrophic lateral sclerosis (335.20)  
Late effect of cerebrovascular accident (438.89)  
Late effect of traumatic brain injury (907.0)  
Multiple sclerosis (340)

Mild memory disturbance Postencephalitic syndrome Other focal (partial) organic psychosyndromes

**Excludes:** memory loss of unknown cause (780.93)

**310.9 Unspecified nonpsychotic mental disorder following organic brain damage**

**311 Depressive disorder, not elsewhere classified**

Depressive disorder NOS

Depressive state NOS

Depression NOS

**Excludes:** acute reaction to major stress with depressive symptoms (308.0)

affective personality disorder (301.10-301.13)

affective psychoses (296.0-296.9)

brief depressive reaction (309.0)

depressive states associated with stressful events (309.0-309.1)

disturbance of emotions specific to childhood and adolescence, with misery and unhappiness (313.1)

mixed adjustment reaction with depressive symptoms (309.4)

neurotic depression (300.4)

prolonged depressive adjustment reaction (309.1)

psychogenic depressive psychosis (298.0)

**312 Disturbance of conduct, not elsewhere classified**

**Excludes:** adjustment reaction with disturbance of conduct (309.3)

drug dependence (304.0-304.9)

dyssocial behavior without manifest psychiatric disorder (V71.01- V71.02)

personality disorder with predominantly sociopathic or asocial manifestations (301.7)

sexual deviations (302.0-302.9)

*The following fifth-digit subclassification is for use with categories 312.0-312.2:*

*0 unspecified 1 mild 2 moderate 3 severe*

**312.0 Undersocialized conduct disorder, aggressive type**

Aggressive outburst

Anger reaction

Unsocialized aggressive disorder

**312.1 Undersocialized conduct disorder, unaggressive type**

Childhood truancy, unsocialized

Solitary stealing

Tantrums

**312.2 Socialized conduct disorder**

Childhood truancy, socialized

Group delinquency

**Excludes:** gang activity without manifest psychiatric disorder (V71.01)



**312.3 Disorders of impulse control, not elsewhere classified**

**312.30 Impulse control disorder, unspecified**

**312.31 Pathological gambling**

**312.32 Kleptomania:** stealing

**312.33 Pyromania:** setting fires

**312.34 Intermittent explosive disorder**

**312.35 Isolated explosive disorder**

**312.39 Other**

Trichotillomania: pulling or twisting hair until it falls out

**312.4 Mixed disturbance of conduct and emotions**

Neurotic delinquency

**Excludes:** compulsive conduct disorder (312.3)

**312.8 Other specified disturbances of conduct, not elsewhere classified**

**312.81 Conduct disorder, childhood onset type**

**312.82 Conduct disorder, adolescent onset type**

**312.89 Other conduct disorder**

Conduct disorder of unspecified onset

**312.9 Unspecified disturbance of conduct**

Delinquency (juvenile)

Disruptive behavior disorder NOS

**313 Disturbance of emotions specific to childhood and adolescence**

**Excludes:** adjustment reaction (309.0-309.9)

emotional disorder of neurotic type (300.0-300.9)

masturbation, nail-biting, thumb-sucking, and other isolated symptoms (307.0-307.9)

**313.0 Overanxious disorder**

Anxiety and fearfulness of childhood and adolescence

Overanxious disorder of childhood and adolescence

**Excludes:** abnormal separation anxiety (309.21)

anxiety states (300.00-300.09)

hospitalism in children (309.83) \

phobic state (300.20-300.29)

**313.1 Misery and unhappiness disorder**

**Excludes:** depressive neurosis (300.4)

**313.2 Sensitivity, shyness, and social withdrawal disorder**

**Excludes:** infantile autism (299.0)  
schizoid personality (301.20-301.22)  
schizophrenia (295.0-295.9)

**313.21 Shyness disorder of childhood**

Sensitivity reaction of childhood or adolescence

**313.22 Introverted disorder of childhood**

Social withdrawal of childhood or adolescence  
Withdrawal reaction of childhood or adolescence

**313.23 Selective mutism**

**Excludes:** elective mutism as adjustment reaction (309.83)

**313.3 Relationship problems**

Sibling jealousy

**Excludes:** relationship problems associated with aggression,  
destruction, or other forms of conduct disturbance (312.0-312.9)

**313.8 Other or mixed emotional disturbances of childhood or adolescence**

**313.81 Oppositional defiant disorder**

**313.82 Identity disorder**

**313.83 Academic underachievement disorder**

**313.89 Other**

Reactive attachment disorder of infancy or early childhood

**313.9 Unspecified emotional disturbance of childhood or adolescence**

Mental disorder of infancy, childhood or adolescence NOS

**314 Hyperkinetic syndrome of childhood**

**Excludes:** hyperkinesia as symptom of underlying disorder – code the underlying disorder

**314.0 Attention deficit disorder (ADD)**

Adult  
Child

**314.00 Without mention of hyperactivity**

Predominantly inattentive type

**314.01 With hyperactivity**

**(Attention Deficit Disorder with Hyperactivity = ADHD)**

Combined type  
Overactivity NOS  
Predominantly hyperactive/impulsive type  
Simple disturbance of attention with Overactivity

- 314.1 Hyperkinesis with developmental delay**  
Developmental disorder of hyperkinesis  
Use additional code to identify any associated neurological disorder
- 314.2 Hyperkinetic conduct disorder**  
Hyperkinetic conduct disorder without developmental delay  
**Excludes:** hyperkinesis with significant delays in specific skills (314.1)
- 314.8 Other specified manifestations of hyperkinetic syndrome**
- 314.9 Unspecified hyperkinetic syndrome**  
Hyperkinetic reaction of childhood or adolescence NOS  
Hyperkinetic syndrome NOS
- 315 Specific delays in development**  
**Excludes:** that are due to a neurological disorder (320.0-389.9)
- 315.0 Specific reading disorder**
- 315.00 Reading disorder, unspecified**
- 315.01 Alexia**
- 315.02 Developmental dyslexia**
- 315.09 Other**  
Specific spelling difficulty
- 315.1 Mathematics disorder**  
Dyscalculia
- 315.2 Other specific learning difficulties**  
Disorder of written expression  
**Excludes:** specific arithmetical disorder (315.1) specific reading disorder (315.00 315.09)
- 315.3 Developmental speech or language disorder**
- 315.31 Expressive language disorder**  
Developmental aphasia  
Word deafness  
**Excludes:** acquired aphasia (784.3) elective mutism (309.83, 313.0, 313.23)
- 315.32 Mixed receptive-expressive language disorder**  
Central auditory processing disorder.  
**Excludes:** acquired auditory processing disorder (388.45)
- 315.34 Speech and language developmental delay due to hearing loss**
- 315.35 Childhood onset fluency disorder**  
Cluttering NOS  
Stuttering NOS  
**Excludes:** Adult onset fluency disorder (307.0)

Fluency disorder to late effect of cerebrovascular accident (438.14)  
Fluency disorder in conditions classified elsewhere (784.52)

**315.39 Other**

Developmental articulation disorder  
Dyslalia  
Phonological disorder  
**Excludes:** lisping and lalling (307.9)

**315.4 Developmental coordination disorder**

Clumsiness syndrome  
Dyspraxia syndrome  
Specific motor development disorder  
psychosocial dwarfism (259.4)

**315.5 Mixed developmental disorder**

**315.8 Other specified delays in development**

**315.9 Unspecified delay in development**

Developmental disorder, NOS  
Learning disorder, NOS

**316 Psychic factors associated with diseases classified elsewhere**

Psychologic factors in physical conditions classified elsewhere  
Use additional code to identify the physical condition, as  
Psychogenic:

Asthma (493.9)  
Dermatitis (692.9)  
Duodenal ulcer (532.0-532.9)  
Eczema (691.8-692.9)  
Gastric ulcer (531.0-531.9)  
Mucous colitis (564.9)  
Paroxysmal tachycardia (427.2)  
Ulcerative colitis (556)  
Urticaria (708.0-708.9)  
Psychosocial dwarfism (259.4)

**Excludes:** physical symptoms and physiological malfunctions, not involving tissue damage, of mental origin (306.0-306.9)

**317 Mild intellectual disabilities**

High-grade defect  
IQ 50- 70  
Mild mental subnormality

**318 Other specified intellectual disabilities**

**318.0 Moderate intellectual disabilities**

IQ 35-49  
Moderate mental subnormality

**318.1 Severe intellectual disabilities**

IQ 20-34

Severe mental subnormality

**318.2 Profound intellectual disabilities**

IQ under 20

Profound mental subnormality

**319 Unspecified intellectual disabilities**

Mental deficiency NOS

Mental subnormality NOS